



- T e International Daf odil Registrar: MissSharon McDonald, Botany Department, RHS Wisley, Woking Surrey GU236QB, UK Fax (44) 01483211 750 Email sharonmedonald@rhs.org.uk
- T eNational Daf odil Registrar (Holland): Drs.J. van Scheepen, KAVB, Postbus 175, 2180AD Hillegom, Holland Fax (31) 2525 369 51 Email vanscheepen@kavb.NL
- T e National Daf odil Registrar (Czech Republic): Ing Ivan Karakoz, ul. Zizkova cp. 1539, 274 01 Slaný, Czech Republic *Email* Karakoz@ seznam.cz
- T eNational Daf odil Registrar (USA): MrsMaryLou Gripshover; 1686 GreyFox Trail, Milford, Ohio 45150, USA Fax 001 5132489137 *Email* mgripshover@ cinci.rr.com

- T eNational Daf odil Registrar (Japan): MissEri Komoriya, 1196 Ohkido-Cho, Midori-ku, Chiba-City, Chiba 267-0057, Japan Fax 81-43-294-8504 Email rxe12572@ nif y.nejp
- T e National Daf odil Registrar (Australia): Mrs Jennie Jamieson, 1 Bromley Place, Kingsley, WA 6026, Australia *Fax* (61) 89 409 1156 *Email* ndaaliaison@ hotmail.com
- T eNational Daf odil Registrar (NewZealand): Mr MaxHamilton, 18 Whitford Place, Rototuna North, Hamilton 3210, NewZealand Fax (64) 0785 43610 Email kham@ dear.net.nz

T ecombination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown "as registered". Teregistered classification is not altered by any note of variable measurement or colour. (See p26 for any notes of variability in previous registrations)

2 Guidelines on colour coding including those on distinguishing between Yellow and Orange and between Orange and Red appear in the Register and on registration forms. It is at the registrant's discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

### In addition:

T egreen at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see Registrants are advised to include it only if it is consistent from year to year.

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a f are from the base, or in f ecks or splashes start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(\$) (in any order) for the non-predominant colour(\$).

For example, a yellowf ower with a white streak along the midrib of the perianth segments would be Y/W-Y; a white f ower with radial bands of orange and yellow on the corona segments would be W-W/OY. Colour Chart numbers in registered descriptions, eg 37D in 'Battersby', ao C° e œ—, "rianthse

(Jackson's Daf odils, 1998) Jackson's Daf odils, 2007 Sdlg 251/98× sdlg 101/91 Fl. rounded, 104 mmwide; perianth segments 43 mm long roundish in outline, blunt at apex, vivid yellow 9B, spreading plane, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 28 mmlong cup-shaped, ribbed, red (30C), mouth straight, with rimdentate. Mid-season to late		
(Jackson's Daf odils, 1997) Jackson's Daf odils, 2007 Sdlg93/87× 'Eastertide'; sdlgno.225/97 Fl. rounded, 85mmwide; perianth and other petalo'w O 'w p	eqpetalo' t07	
U w p WWOro Wo o ndeo eo eo lo'tp	(30 o t0	с
International Daf adil Racistar (2008). 1st Sumlement		

s. '4 -

(D.C. MacArthur) D.C. MacArthur, 2008 Fl. forming a double triangle, 104 mm wide; perianth and other petaloid segments 41 mm long, ovate, acute, brilliant yellow 7A, spreading plane to a little concave, smooth and of heavy substance, overlapping half; coronasegments 27 mm long vivid yellow 17C. Mid-season

(Jackson's Daf odils, 1996) Jackson's Daf odils, 2007 Sdlg 232/87× sdlg 236/88; sdlg no. 87/96 Fl. forming a double triangle, 98 mm wide; perianth segments 40 mm long very broad, blunt, shouldered at base, yellow (3B), with white (155C) at base, spreading plane, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 35 mm long funnelshaped, ribbed, pink (26D), mouth f ared and frilled, with rim dentate. Mid-season

(Bruce Irwin) Bruce Irwin, 2007 Unknown × *N. cyclamineus* Fl. star-shaped, 53 mmwide, facing down; perianth segments 30 mmlong ovate, overlapping one-third; corona 30 mmlong cylindrical, smooth. Very early. Sunproof. Sweetly scented

(R.A.Scamp, 1997) R.A.Scamp, 2008 'Cristobal' × 'Marjorie Treveal', solgno, 766 Fl. rounded, 85 mmwide, perianth and other petaloid segments in several whorls, smooth and of heavy substance, the outer whorl 40 mm long very broadly ovate in outline, rounded at apex, mucronate, spreading plane to a little concave, the inner whorls narrower, becoming successively shorter, blunt at apex, less prominently mucronate, more strongly concave, inf exed, with margins way, corona segments 30 mm long interspersed among the perianth and other petaloid segments, smooth, frilled, imegularly lobed. Mid-season to late Standard: colour print provided by registrant (WSY0101362)

(Brian S. Duncan) Brian S. Duncan, 2007 'Brindle Pink' × 'Eastern Promise'; scligno. 2333 Fl. 110mm wide; perianth segments very broadly ovate in outline, blunt or rounded at apex, prominently mucronate, pure white, slightlyref exed, plane in lower half, concave above, smooth, overlapping half or more; the inner segments a little more narrowly ovate, blunt, less prominently mucronate, spreading, locsely creased, with margins wavy, coronabowl-shaped, smooth, deep orange pink, mouth straight, lightly frilled

(R.A.Scamp, 1989) R.A.Scamp, 2008 Saint Keverne' × 'Tamar Fire'; sollgno.384 Fl. 92mm wide; perianth and other petaloid segments in three whorls the two outer whorls 34 mm long broadly ovate, blunt, yellow, with prominent palemucro, spreading plane, smooth and of heavy substance, overlapping half; the inner whorl less prominently mucronate, infexed, concave; corona segments 24 mm long, half the width of and slightly darker in tone than the petaloid and perianth segments, smooth, frilled, irregularly lobed or thumbed, with the upper half of the segments loosely folded inwards. Mid-season. Slightly scented

(Walter J.M.Blom) Walter J.M.Blom, 2008 Sdlg8-17 × Peppermint'; sdlgno.955-17 Fl. star-shaped, 30mmwide, facing up, pale greenish yellow 2D; periarth segments 15mm long lanceolate, acute, spreading plane, smooth and of heavy substance, separated; corona 20mm long cupshaped, lightlyribbed, mouth expanded and alittle wavy, with rimcrenate Dwarf. Very early. Sweetly scented

(John Ř. Reed) John R. Reed, 2008 'Old Satin' × 'Edat'

(D.C. MacArthur, 1996) D.C. MacArthur, 2008 'Pismo Beach' open pollinated; sollgno.ED691 (Denick Turbitt, 1994) Denick Turbitt, 2007 'Cophetua' × 'Golden Joy'; stllgno.9403 Fl. 118mmwide; periarth segments 45mmlong broadly ovate, blunt, noticeablymucronate, yellow, spreading plane to slightly concave, with margins a litebunc/

spi ogbngst b, "Q° a ittto/h/

spi angiut 41 nc/

(R. & E. Havens) R. & E. Havens, 2008 'American Dream' × ('Widgeon' × 'Memento'); sdlg no.124/2 Fl. 95 (Peter Irwin) IRN Associates Ltd, 2007 'Orange Roughie' × 'Bank Roll' Fl. forming adouble triangle, 97 mmwide; perianth segments 39 mmlong ovate in outline, acute at apex, spreading plane, smooth and of heavy substance, overlapping corona 36 mmlong, funnel-shaped, nibbed, mouth f ared, frilled, with rimdentate. Tall. Very early. Sweetly scented

T<sup>•</sup> <sup>2</sup> <sup>2</sup> <sup>2</sup> (D.C.MacArthur, 1994) D.C.MacArthur, 2008 Evelix' × 'Royal Orange'; soligno ED3388 Fl. forming a double triangle, 122 mm wide, facing up perianth segments 53 mm long broadly oblong rounded at apex, mucronate, paleyellow 8D, spreading plane, with midrib showing of heavy smooth af <sup>o</sup> 8 Fl A minQ 1 im g commQ blongw

up; periangF

mQ

mQblongd se,sp spreadingŁQt °

bb

et

р

## . . . '3 -

(Richard McCaw) Richard McCaw, 2008 'Unique' × 'TripleCrown'; sdlgno 12 Fl. 100mmwide; perianth segments 45 mm long, broadly ovate, blunt to rounded, not noticeably mucronate, spreading, concave, with margins a little wavy, smooth and of heavy substance, overlapping half; the inner segments narrower. blunt: corona 14 mm long, disc-shaped, angled, mouth expanded, lightly ribbed, wavy, with rimdentate. Mid-season. Standard: colour print provided by registrant (WSY0101361)

(ColinCrotty) ColinCrotty, 2008 'Sun Child' × 'Pure Magic'; sdlgno.37-02 Fl. 100mmwide, perianth segments 41 mmlong, very broadly ovate in outline, rounded at apex, prominently mucronate, white, spreading to a little ref exed, plane or slightly concave, with midrib showing of heavy substance, overlapping half or more, the inner segments narrower, blunt, less prominently mucronate, more nearly spreading, corona 10mm long disc-shaped, ribbed, white, with a band of colour at rim, opening golden yellow, becoming yelloworange, mouth expanded and lightly frilled, with rim minutelydentate. Mid-season to late. Sweetly scented

(Wilfred Hall) Wilfred Hall, 2008 'CraigStiel' hybrid; sdlgno.01/6 Fl. rounded, 75mmwide; perianth segments roundish, rounded at apex, with pale mucro, spreading plane, smooth, overlappinghalf; the inner segments not noticeably mucronate, corona cup-shaped, regularly ribbed, mouth straight, even, with rimentire. Early

(Colin Crotty) Colin Crotty 2008 'Quasar' × 'Culmination'; sollgno, 19-00 Fl. rounded, 102 mm wide, perianth segments 39 mm long very broadly ovate, blunt, mucronate, white, spreading plane, with margins incurved and midrib showing of membranaceous substance, overlapping half or more, the inner segments narrower, corona 21 mmlong bowl-shaped, smooth, pinkish-red, mouth expanded and frilled, with rimf anged and dentate Mid-season Strongly scented

(W,<sup>t</sup>?ar

wavy, rimcrenate. Mid-season. Standard: colour print provided by registrant (WSY0101372)

۲P '2 -(B.S.Duncan) David Burdick, 2008 Sdlg 1260 ('Patabundy' × 'State Express') × 'Burning Bush'; sdlgno.2160

Fl. 96mmwide, perianth segments 44 mm long. broadly ovate, blunt, rich golden yellow, with white mucro, spreading, concave, overlapping half; the inner segments narrower, should ered at base, plane, corona 21 mmlong bowl-shaped, smooth strong orange-red, mouth widely expanded, lightly ribbed and frilled, with rim crenate. Late. Sunproof. Standard: colour print provided by registrant (WSY0101363)

(R. & E. Havens) R. & E. Havens, 2008 'Lemon Sails' × 'Sun Gem'; sdlgno.172/3 Fl. 90mmwide, deeplemon yellow, perianth segments 36 mm long, very broadly ovate in outline, rounded at apex, mucronate, spreading plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, blunt at apex, corona 34 mm long cylindrical, smooth, mouth slightly expanded, ribbed, frilled, with rimdentate. Late

. e <sup>x</sup> ~' (Martin Harwood) Martin Harwood, 2008 'Ace of Diamonds' × 'Red Hugh' Fl. 60mmwide; perianth segments 25 mm long, broadly oblong white, touched yellow at margins at base, minutely mucronate, plane, with margins a little incurling smooth, overlappinghalf; the inner segments broadly ovate, not noticeably mucronate; corona 4 mm long disc-shaped, ribbed, strong orange 25A, with a very narrow band of strong red 39A at rim, mouth lightly frilled, with rimminutely crenate. Late

7 (R.A.Scamp, 1996) R.A.Scamp, 2008 'Lancaster' × N. jonguilla; sollgno.744 Fls 1-2 per stem, rounded, 63 mm wide, perianth segments 27 mm long roundish, prominently mucronate, spreading, plane, smooth and of heavy substance, overlapping half or more, the inner segments less prominently mucronate, a little infexed, with midrib showing corona 8 mm long, bowl-shaped, ribbed, mouth expanded, frilled, with rimcrenate. Mid-season. Strongly scented. Standard: colour print provided by registrant (WSY0101374)

(W.G.Pannill) W.G.Pannill, 2008 'Sailboat' sport

Fls3perstem, 52mmwide; perianth segments 18 mm long, ovate, acute, with pale mucro, ref exed, plane or a little twisted, overlapping at base only, corona 15 mm long, funnel-shaped, short, broadly

(Richard McCav) Richard McCav, 2008 Sdlg× 'Sof Focus' hybrid; sdlgno.165 Fl. 100mmwide; perianth segments 46mmlong broadly ovate, blunt, mucronate, white, spreading, a little concave, smooth, overlappinghalf or more; the inner segments narrower; corona 14 mmlong dise-shaped, ribbed, white, with anarrowband of yellowat rim mouth expanded, lightly frilled, with rimsplit and overlapping in places grenate. Standard: colour print provided by registrant (WSY0101359)

(Colin Crotty, 1996) Colin Crotty, 2008 'Pearl Drif' × 'ShineOn'; sdlgno.46-96 Fl. 100mmwide; perianth segments 41 mmlong very broadly ovate in outline, rounded at apex, prominently mucronate, pure white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; blunt, less prominently mucronate; corona 13 mmlong bowl-shaped, angled, pale yellow, with vivid green at base and anarrow band of deep yellow at rim, mouth expanded and lightly frilled, with rim minutely dentate. Mid-season to late. Sweetly scented

(Græme Brumley) Græme Brumley, 2008 (Ethel Breen' × 'Nexus'; stlgno 377 Fl. 90mmwide; perianth segments 35 mmlong very broad, oblong rounded at apex, spreading to a little ref exed, concave, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments broadly ovate, blunt, shouldered at bæse, corona 30mmlong funnel-shaped, smooth, mouth slightlyr fared, lightlyribbed, wavy, with rimcrenate.

'2 (A.J.R.Pearson, 1996) A.J.R.Pearson, 2008 'Owston Wood' × sdlg 87-32-K 29 (['Stoke Charity' × 'Panache'] × 'Fair Prospect'); sdlg no.99-12-R 18 Fl. 105 mmwide; perianth segments 44 mmlong ovate in outline, acute at apex, greenish white (157B), slightly ref exed, plane, smooth and of heavy

·2 (Jackson's Daf odils, 1995) Jackson's Daf odils, 2007 'Dailmanach' × 'Ann Cameron'; sdlgno.12/95 Fl. 110mmwide; perianth segments 45mm long, very broad, blunt, shouldered at base, greenish white (155A), spreading plane, with margins incurved, smooth and of heavy substance, overlapping half or more; corona 42 mm long, funnel-shaped, ribbed, pink (29C), mouth f ared and frilled, with rimdentate. Early

(Walter J.M.Blom) Walter J.M.Blom, 2007 A range of plants derived from *N. bulbocodium*  $\times N$ . rupicola and N. bulbocodium  $\times N$ . jonguilla

(R. & E.Havens, 1987) R. & E.Havens, 2008 'Lorikeet' × 'Magician'; sollgno.WH27/1A Fal10mmwide, perianth segments 47, mm long, broadly ovate in outline, rounded at apex, mucronate, light lemon yellow, spreading, concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, blunt, plane, corona 42 mm long, funnel-shaped, smooth, bright apricot pink, mouth f ared, ribbed, deeply frilled, with rim minutely dentate. Mid-season. Sunproof

(BruceIrwin, 1993) KirbyFong, 2008 Sdlgno.BDP 15/95 Fls4-8perstem, forming a double triangle, 25mm wide; perianth segments 11 mm long, ovate, blunt, spreading, deeply concave, smooth and of heavy substance, overlapping one-third; the inner segments a little narrower; should ered at base, not noticeably mucronate; corona 2 mm long bowl-shaped, smooth, mouth straight, even, with rimentire. Dwarf. Mid-season. Standard: colour print provided by registrant (WSY0101386)

'1 -(P.D.K.Ramsay) P.D.K.Ramsay, 2008 'Moon River' × 'Lordship'; sollg no.00.40 Fl. forming a double triangle, 120 mm wide; perianth segments very broad, rounded at apex, slightly refexed, plane, with margins incurled, smooth and of heavy substance, overlapping one-third; the inner segments narrower; corona funnel-shaped, smooth, mouth f ared and even. Mid-season

**P** (1) (1) (2) (3) (3) (3) (DianeIrwin, 1992) IRN AssociatesLtd, 2007 'Red Ember' × 'Achduart'; sdlgno.89/64A Fl. rounded, 90mm wide; perianth segments 36mm long, roundish, orange, spreading, plane, smooth and of heavy substance, overlapping half or more; corona 10mmlong, cup-shaped, smooth, deep orange, mouth straight and ribbed, with rimentire. Sweetly scented

(Wilfred Hall, 1994) Wilfred Hall, 2008 'Matador' × *N. jonquilla*; sdlgno.MJ-4 Fls3-5perstem, rounded; perianth segments very broadly ovate in outline, rounded at apex, not

noticeably mucronate, spreading, planeto a little concave, with margins slightly incurling smooth and of membranaceous substance, overlapping half or more, the inner segments slightly infexed; corona bowl-shaped, broadlyribbed, mouth straight, a little wavy, with rimentire. Early. Sweetly scented. Resembles 'Hooppe' but with perianth segments less prominentlymucronate

P . . (K.van der Veek) Kapiteyn Speciale Culturen, 2008 Fl. star-shaped, 80mmwide, facing up, yellow-orange (14A); perianth segments ovate, acute, slightly mucronate, spreading, withhmargismediolnr a " riam" ithmon wav muc f Q ly ,‡c ttle a muc ? s erVee K.s iantfil.seg 4artsless swi a a 0 wQ em″ / eamar muc аv sa

of heavy substance, with broad midrib showing imegular, overlapping half, the inner segments more narrowly ovate, less noticeably mucronate, a little inf exed; corona 20mm long funnel-shaped, loosely nibbed, reddish pink (39B), mouth expanded, deeply frilled, with rimsplit and overlapping in places, entire. Mid-season. Sunproof. Sweetly scented

(R. & E.Havens, 1989) R. & E.Havens, 2008 ('Precedent' × 'Pink Cloud') × 'Top Notch'; sollg no. Y143/1

Fl. 87 mm wide; perianth segments 35 mm long ovate, blunt, lemon yellow, spreading plane to a little concave, smooth and of heavy substance, overlapping half; corona 22 mm long cylindrical, short, angled, yellow, with a very broad band of mid-pinkly on

liq°êblgoq°**5**w l

(Colin Crotty, 1995) Čolin Crotty, 2008

'Spun Honey' × ('Falstaf' × 'Checkmate'); sdlg no.62-95

Fl. 100mmwide; perianth and other petaloid segments in three whorls, regularly arranged, broadly ovate in outline, blunt or rounded at apex, not noticeably mucronate, golden yellow, a little creased and of membranaceous substance, overlapping half; the outer whorls 38 mm long spreading plane to a little concave; the centre whorl narrower; shorter; strongly infexed, with margins incurling, corona segments 24 mm long interspersed among the perianth segments, broad, mid-orange, touched yellow, creased and a little frilled, slightly infexed, with rimentire. Mid-season. Strongly scented

(Martin Harwood) Martin Harwood, 2008

`c'2 -

(DianeIrwin) IRN AssociatesLtd, 2007 Fl. forming a double triangle, perianth segments ovate, blunt, spreading plane, smooth and of heavy substance, overlapping half or more, corona cup-shaped. Very early. Sweetly scented

(Wilfred Hall, 2008 'Grand Monarque' × 'Fiddleedee'; sdlg.no.GMX-44 Fls3-4perstem 55 mmwide, facing slightly downwards perianth segments broadly ovate in outline, rounded at apex, mucronate, white, spreading concave, creased and of heavy substance, overlapping half; the inner segments blunt at apex, should red at base; corona bowl-shaped, deeply ribbed, opening yellow, with a band of pale pink at rim, the whole corona becoming pure white, mouth straight, wavy, with rimentire Early

· · · · 3 ٦ř (D.C.MacArthur) D.C.MacArthur. 2008 Purbeck' × L

(R.Beckwith) R.Beckwith, 2008 (R.Beckwith) R.Beckwith, 2008 (Nightf ight' × 'Hanbury'; solg no. 1-17-2000 Fl. forming a clouble triangle, 118 mm wide; perianth segmethic nall Daf i mm wi ml (Becky & Brent Heath) Brent & Becky's Bulbs, 2008 'Sweet Charity' × *N. jonquilla* FIs 2 per stem, facing down; perianth segments broadly ovate in outline, rounded at apex, mucronate, white (4D), spreading plane to concave, with midrib showing overlapping half; the inner segments blunt, shouldered at base, inf exed; corona bowl-shaped, broadly ribbed, yellow-orange (13B), paling to light yellow (6D) towardsmouth, with anarrow band of white at rim, mouth expanded, wavy, with rimsplit and overlapping in places, dentate Mid-season. Sunproof. Sweetly scented

(Walter J.M.Blom) Walter J.M.Blom, 2008 Sdlg8-17× 'Peppermint'; sdlgno.955-6 Fl. star-shaped, 25mmwide, facingslightly upwards, perianth segments 15mmlong lanceolate, acute, brilliant greenish yellow 3A, spreading to a little ref exed, plane, smooth and of heavy substance, separated; corona 20mmlong bowl-shaped, ribbed, brilliant greenish yellow 7A, mouth expanded and wavy, with rim crenate D warf. Very early. Sweetly scented

(John R. Reed) John R. Reed, 2008 'Matador' open pollinated; sollgno. 84-212-1 Flsup to 8 per stem Mid-season. Resembles 'Matador' but with white perianth segments Fertile

### T 1'2 -

(R. & E. Havens) R. & E. Havens, 2008 'Gold Velvet' × 'Scarlet Chord'; scilgno.HH26/4 Fl. rounded, 100mmwide; perianth segments 41 mm long ovate, blunt, mucronate, bright yellow, spreading plane to a little concave, smooth and of

ď	along	(R. Béckwith) R. Bed Loch Alsh' × 'Carol Loch Alsh' × 'Carol Fl. 100mmwide; per oundish, verybroad, prominently mucron midrib showing of h or more; the inner se prominently mucron 10mmlong disc-sha 12A, with a band of d expanded, wavy, ime portapping in places standard: photograp registrant (WSY010) v l h o	e Lombard'; sdlg ianth segments 4 , rounded at apex ate, spreading pl eavy substance, c gments broadly o ate, slightly conc ped, ribbed, brill orange (23A) at r gularly lobed, wit ; dentate Late S hic transparency [388] '1 -	45 mmlong , truncate, ane, with werlappinghalf wate, blunt, less ave; corona liant yellow im mouth hrimsplit and weetly scented. provided by				
		(R.A.Scamp, 1989) F 2008	loyal Horticultu	-				
g	along	Argotsy' × (fi\$64,nt Kæ no.593 71.1fohminga.doublet yellow, periana91);,			Qalas,	lstly	Lad C	
		overlming	W.	nge e de	y aras,	Istry	Lau C	
		vhitOo,p″ vh°galo	le″oK md″ llo o	o e deQ				aa
			1 9	0 0				

. \_

T ecompilers are grateful to those who have drawn attention to omissions from the *International Da odil Register* and *Classi ed List* and its Supplements pointed out errors, suggested changes or supplied new information. Amendments to cultivar names, divisions, colour code

N.× montsiccianus	In List of Botanical Names rewrite entry as × <i>montsiccianus</i> Romo, in Fontqueria, 24: 15 (1989) ( <i>Narcissus</i> ) (parentage: <i>N. assoanus</i> Dufour ex Schultes & Schultes f. × <i>N. assoanus</i> [as var. <i>palearensis</i> ]) = <i>N. assoanus</i> . In Botanical Classif cation: remove entry (from Section Jonquilla)
$N. \times nutans$	In List of Botanical Names remove question mark in parentage. In Botanical Classif cation: remove question mark in parentage
'Pageant' (Spry)	Changed seed parent to: 'Gay Gordon' in 2008 Register
'Pink Lightning	Alter division to: 2
'PrincessAlice' (Div. 8)	Altered division to: 12 in 2008 Register
'S.A. deGraaf' (Div. 8)	Alter division to: 12 in 2008 Register
'Samian Belle' 1 W-W	Added: Syn. of 'Hartland's Leda'. Removed: date in 2008 Register
<i>N. tazetta</i> subsp. <i>lacticolor</i> var. <i>tenorii</i>	Add dagger and put name in plain type
N. tazetta subsp. lacticolor var. trewianus	Add dagger and put name in plain type
'Tortuosus'	Syn. of <i>N. tortuosus</i> (Cultivar added to 2008 Register)
'Tripodalis'	Syn. of N. tripod2002000000000000000000000000000000000

# er a with an a the applied of the art of an

Allen. Ron Bevan Rebecca Brumley, Graeme Burdick, David Fong Kirby Griner. Martha Ann Hamm Joe Heath, Becky Ion, Aurel Irwin, Bruce Langsford, Alan McCaw, Richard McCown, Betty and Freddy Nixon, Robert Rainev. Chriss Stettner. Tom Stocken C.M. van den Berg, C.G., & Son van der Meer. K. & J. van der Salm Rinus van der Slot, J.T. .M., & Son van Schagen, N., & Son DV Wejers, J.G. & Son

Newhaven, East Sussex, England Wisley, Surrey, England Monbulk, Victoria, Australia Pittsfeld, Massachusetts, USA Livermore, California, USA Chesterf eld. New Jersev, USA Washington, Pennsylvania, USA See Heath, Brent Beit Dagen, Israel Levin, New Zealand Bere Alston, Devon, England Hillsborough, Co. Down, Northern Ireland Lebanon, Oregon, USA Tasmania, Australia Reston Virginia USA Cincinnati, Ohio, USA b 1922 d 1966 AnnaPaulowna Holland Breezand Holland Den Helder: Holland Lisse Holland Beheer, Bergen, Holland Burgerbrug Holland

المالية من المراجع من المراجع ا

Welch, W.R.P. Weyers, C.S. & Son Yates Add new address Santa Cruz, California Amend spelling to Weijers, C.S., & Sons Add new address Bicknoller, Somerset



