



© 2011 The Royal Horticultural Society
80 Vincent Square, London SW1P 2PE, United Kingdom
www.rhs.org.uk

International Datalog Registrar:
Sharon McDonald

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

isbn 9781907057205

Printed and bound in the UK by Page Bros, Norwich

Cover: "Narcissus cyclamineus, Johnstoni and Triandrus albus"
from 1887 Barr and Son's datalog catalogue.
Image courtesy of RHS Lindley Library

THIRD SUPPLEMENT
to

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 – on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown “as registered”. The registered classification is not altered by any note of variable measurement or colour. (See pp. 41 ff. for any notes of variability in previous registrations.)

Note 2 – on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red, appear in the Register and on registration forms. It is at the registrant’s discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

– green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

– non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the let

'Avalex' 8 W-Y

(Wilfred Hall) Wilfred Hall, 2010

'Avalanche' hybrid; sdlg no. AVX-21

Fls up to 15 per stem, forming a double triangle, 40mm wide; perianth segments 16mm long, broadly ovate, blunt, mucronate, white, spreading, plane to concave or with margins slightly incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, truncate, not noticeably mucronate; corona 9mm long, cup-shaped, slightly angled, vivid yellow 9B, mouth straight, slightly wavy, with rim entire. Early. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117015)

'Ballistic' 4 Y-O

(J.F.McLennan) J.F.McLennan, 2010

'Kampo' × 'Kiwi Sunset'; sdlg no. 06-28

Fl. 100mm wide; perianth and other petaloid segments in several whorls, roundish, deep yellow, smooth; the outer whorls slightly mucronate, plane to a little concave, overlapping one-third to a half; the inner whorls less prominently mucronate, becoming successively shorter, more deeply inflexed and concave, folded inwards from midrib; corona segments one-third the length and width of the petaloid segments and interspersed among them, strong orange, a little frilled, becoming more crumpled towards centre. Mid-season.

Etymology: the hybridiser went "ballistic" on seeing first flower

'Ball of Fire' 4 Y-R

(Stephen J.Vinisky, 1998) Stephen J.Vinisky, 2010

'Beauvallon' × V90-15-9 ('Resplendent' × 'Loch More'); sdlg no. V94-233-5

Fl. 105mm wide; perianth and other petaloid segments in two or more whorls; the outer whorl 45mm long, broadly ovate, blunt, prominently mucronate, spreading, concave, smooth, overlapping half; the inner segments narrower, slightly truncate, less prominently mucronate; the inner whorls narrower, sometimes with margins incurved, becoming successively shorter and more strongly inflexed; corona segments one-quarter the length and one-third the width of the petaloid segments,

interspersed among the inner whorls and clustered tightly at centre, bi-lobed and frilled. Mid-season to late

'Baron's Sister' 2 Y-R

(P.D.K.Ramsay, 1993) P.D.K.Ramsay, 2010

O'More sdlg 49/64 ('Narvik' × 'Red Baron') × 'Torridon'; sdlg no. 93:60A

Fl. rounded, 128mm wide; perianth segments 42mm long, very broad, rounded at apex, spreading, plane, or with margins incurved, smooth and of heavy substance, overlapping half; corona 32mm long, bowl-shaped, smooth, mouth flared and frilled, with rim crenate. Late.

Etymology: sister to 'Cameo Baron'

'Beautiful Silk' 2 Y-P

(R. & E.Havens) R. & E.Havens, 2010

'Acumen' × 'American Dream'; sdlg no. OH4/5

Fl. 100mm wide; perianth segments 40mm long, very broadly ovate, blunt, mucronate, pastel lemon yellow, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 32mm long, cylindrical, angled, clean pink, mouth straight and wavy, with rim crenate. Late mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117016)

'Bella Estrella' 11a W-Y

(K.van der Veek) C.van der Veek, 2010

'Ben Robertson' 1 Y-YYO

(Mrs Ben Robertson, pre-1958) Loyce McKenzie, 2010
'King of the North' × 'Saint Issey'; sdlg no. ER#11
Fl. 71mm wide; perianth segments 25mm long,
broadly ovate, blunt, clear yellow, with prominent
pale mucro, spreading, plane, smooth and of heavy

becoming white, with the broad band of orange-pink continuing, mouth a little expanded, wavy, with rim minutely dentate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117021)

'Burntwood' 4 Y-R

(A.Harper) R.A.Scamp, 2010

'Tahiti' × 2 Y-R sdlg; sdlg no. 86-05

Fl. rounded, 78mm wide; perianth and other petaloid sections in three whorls, roundish, bright yellow, with white mucro, concave, smooth and of heavy substance; the outer whorl 30mm long, with margins incurved; the middle whorl a little inflexed; the inner whorl half the length of the outer segments, strongly inflexed, folded deeply inwards from the midrib; the corona segments 15mm long, interspersed between the middle and inner whorls, bright red, crumpled and folded, with margins wavy and lobed. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117022)

'Caitlin's Favorite' 8 W-Y

(W.R.P.Welch) W.R.P.Welch, 2010

Autumn Colors Group ×

Fls 8–12 per stem, rounded, 53mm wide, facing up; perianth segments 23mm wide, roundish, very broad, white, spreading, plane or with margins incurved, smooth and of heavy substance,

'Chapel Valley' 1 Y-Y

(H.A Vandervliet) New Generation Daffodils, 2010
'Leinster' × 'Burgemeester Gouverneur'
Fl. 115mm wide, forming a double triangle; perianth segments 47mm long, broadly ovate, blunt, vivid yellow 9B, with pale mucro, spreading to a little inflexed, plane, with margins slightly wavy, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base; corona 48mm long, funnel-shaped, smooth, vivid yellow 9A, mouth straight, wavy, with rim flanged and regularly notched. Tall. Mid-season. Nomenclatural Standard: colour print supplied by registrar (WSY0117025)

'Cheree Lillian' 3 W-P

(M.Hamilton) M.Hamilton, 2010
'Colin's Joy' sdlg × sdlg 4-74; sdlg no. 45-03
Fl. 90mm wide; perianth segments 40mm long, roundish, noticeably mucronate, white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments broadly ovate, shouldered at base, blunt, not noticeably mucronate; corona 12mm long, cup-shaped, smooth, strong pink 48C, paling to base, mouth straight, lightly frilled, with rim crenate. Mid-season

'Chudleigh' 2 YYW-WWY

(Colin Crotty, 1998) Colin Crotty, 2010
'Vicki' × 'Trumper Warrior'; sdlg no. 43-98
Fl. forming a double triangle, 102mm wide; perianth segments 40mm long, broadly ovate, blunt, mucronate, lemon yellow, with a band of white at base, spreading, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 37mm long, funnel-shaped, smooth, opening lemon yellow, becoming white, with a band of yellow at rim, mouth straight and wavy, with rim narrowly flanged and minutely dentate. Mid-season. Strongly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117027)

'Circle of Fire' 3 Y-YYR

(Stephen J.Vinisky, 2000) Stephen J.Vinisky, 2010
'Triple Crown' × 'Badbury Rings'; sdlg no. V95-118-4
Perianth segments very broadly ovate, blunt, yellow, with white mucro, spreading, plane, smooth, overlapping half; the inner segments narrower, with margins a little incurved; corona bowl-shaped, lightly ribbed, yellow, with a narrow band of red at rim, mouth straight, slightly wavy, with rim crenate

'Clancy' 9 W-GYR

(Denise E.McQuarrie, 1996) Denise E.McQuarrie, 2010
'Rondo' × 'Cantabile'; sdlg no. A46
Fl. 74mm wide; perianth segments 28mm long, broad, oblong in outline, rounded at apex, prominently mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments a little narrower, ovate, less prominently mucronate; corona 5mm long, disc-shaped, mouth a little expanded, lightly ribbed, slightly wavy and lobed, with rim minutely dentate. Mid-season to late. Strongly and sweetly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117028)
Etymology: named for a favourite poem of the hybridiser, "Clancy of the Overflow", by "Banjo" Paterson

'Classy Lady' 2 W-PRR

(Tom Stettner) Tom Stettner, 2010

'Ethereal Dawn' 2 W-P

(J.A.Hunter, 1996) J.A.Hunter, 2010
('Polar Snow' × ['Glendermott' × 'Kotuku']) ×
('Quasar' × 'Obsession'); sdlg no. 65/91B
Fl. forming a double triangle, 112mm wide;
perianth segments 49mm long, very broadly ovate,
white, spreading, plane, smooth and of very heavy
substance, overlapping; corona 40mm long,
funnel-shaped, slightly angled, light yellowish pink
36C, mouth flared and a little wavy. Mid-season

'Fellows Favorite' 2 YYW-O

(Brent and Becky's Bulbs) Brent and Becky's Bulbs,
2009
sdlg no. 2007-39-B
Fl. 105mm wide, facing up; perianth segments
45mm long, obovate in outline, rounded at apex,
prominently mucronate, opening vivid greenish
yellow 2A, developing a band of white at base,
spreading to slightly reflexed, plane or with margins
a little incurled, smooth and of heavy substance,
overlapping one-third to a half; the inner segments
broadly ovate, blunt, more nearly spreading, creased;
corona 30mm long, funnel-shaped, slightly angled,
opening brilliant yellow 7A, with vivid yellow 9A at
rim, becoming yellow-orange (.17A), mouth a little
flared, narrowly ribbed, irregularly lobed, with rim
minutely crenate. Early. Sweetly scented.
Nomenclatural Standard: colour print supplied by
KAVB (WSY0117044)
Etymology: named for Fellows Riverside Gardens

'Fiery Peak' 2 W-GPR

(Colin Crotty) Colin Crotty, 2010
'Presidential Pink' × 'Quasar'; sdlg no. 40-02
Fl. 110mm wide; perianth segments 44mm long, very
broadly ovate, blunt, prominently mucronate, white,
spreading, concave, smooth and of heavy substance,
overlapping half or more; the inner segments
narrower, shouldered at base, plane; corona 25mm
long, bowl-shaped, lightly ribbed, bright pink, with
green at base and a broad band of orange-red at rim,
mouth expanded, heavily frilled and obscurely lobed,
with rim minutely dentate. Late. Strongly scented.
Nomenclatural Standard: colour print supplied by
registrant (WSY0117045)

'Filskit' 2 Y-Y

(R.A.S(t)-1a9 60 Td[(')1h2(r)5(e)-13(sM8(c)-6(en)1h)dr0(b)5(a)-
registrant (WSY0117045y1.333 TD[(na)-18(E()5t-2(y y9(d)-m(a)

long, bowl-shaped, broadly ribbed, vivid yellow 12A, with a band of orange (23A) at rim, mouth expanded, wavy and six-lobed, with rim crenate and split and overlapping in places. Late. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117061)
Etymology: named for a small beach at the edge of massive sandstone cliffs on Lake Superior

'Gizmo' 1 Y-Y

(Stephen J.Vinisky) Stephen J.Vinisky, 2010
(Glenbrook Minicycla Group × 'Snipe') × ('Small Talk' × 'Xana'); sdlg no. V96-18-4
Dwarf

'Glasney' 3 W-Y

(R.A. Scamp, 1997) R.A.Scamp, 2010
'Cool Crystal' × 'Val d'Incles'; sdlg no. 788
Fl. 110mm wide; perianth segments 45mm long, very broadly ovate in outline, rounded at apex, truncate and mucronate, white, spreading, with margins incurling, smooth and of heavy substance, overlapping half or more; the inner segments only a little narrower, blunt, less prominently mucronate; corona 14mm long, bowl-shaped, regularly ribbed, yellow, touched green at base, mouth expanded, deeply frilled and lobed, with rim entire. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0117062)

'Glendurgan' 2 W-W

(R.A. Scamp, 1996) R.A.Scamp, 2010
'Pitchroy' × 'Dailmanach'; sdlg no. 704
Fl. forming a double triangle, 105mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, not noticeably mucronate; corona 40mm long, funnel-shaped, short, smooth, white, touched green at base, mouth slightly expanded, narrowly and lightly ribbed, wavy, with rim flanged and minutely crenate. Mid-season to late.
Nomenclatural Standard: colour print supplied by registrant (WSY0117063)
Etymology: named for a popular garden on the Helford River, Cornwall

'Glittering Embers' 7 Y-GYO

(H.Koopowitz) H.Koopowitz, 2010
(.) × sdlg (2 O-R); sdlg no. 98-70/1
Fls 2–3 per stem, star-shaped, 36mm wide; perianth segments 16mm long, brilliant greenish yellow 3A; corona 5mm long, yellow, with green at base and yellow-orange (21B) at rim. Dwarf. Autumn-flowering to very early. Sunproof. Sweetly scented.
Etymology: reminded the hybridiser of sparks from a fire

'Gloria Townsin' 4 W-R

(R.A.Scamp, 1992) R.A.Scamp, 2010
'Achentoul' × 'Bere Ferrers'; sdlg no. 524
Fl. 105mm wide; perianth and other petaloid segments in several whorls; the outer whorls 45mm long, broadly ovate, blunt, spreading, concave and with margins incurling, smooth and of heavy substance, overlapping half; the inner whorls folded inwards from the midrib, becoming successively shorter and inflexed; corona segments 10mm long, clustered around the petaloids at centre and tightly arranged between the inner whorls, lobed, crumpled and lightly frilled. Mid-season to late. Slightly scented.
Nomenclatural Standard: colour print supplied by registrant (WSY0117064)

'Goddess Chispa' 8 Y-YYO

(W.R.P.Welch) W.R.P.Welch, 2010
'Matador' × Lima sdlg (.) hybrid
Fls 1–3 per stem, forming a double triangle, 69mm wide, facing down; perianth segments 29mm long, roundish, light greenish yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 8mm long, bowl-shaped, ribbed, golden yellow, with a thin band of orange at rim, mouth straight, wavy, with rim entire. Very early. Sweetly scented.
Etymology: named for a friend of the registrant

'Golden Crystal' 7 Y-Y

(R. & E.Havens) R. & E.Havens, 2010
'Regeneration' × sdlg ('Limequilla' open pollinated); sdlg no. MH35/1
Fls 3 per stem, 65mm wide; perianth segments

25mm long, very broad, ovate, blunt, mucronate, yellow-gold, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, more nearly plane; corona 15mm long, cup-shaped, smooth, a deeper shade than the perianth segments, mouth straight and wavy, with rim crenate. Late. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117065)

'Golden Plains' 7 Y-Y

(R. & E.Havens) R. & E.Havens, 2010
'Regeneration' open pollinated; sdlg no. LHO17/1
Fls 2-3 per stem, forming a double triangle, 63mm wide, deep yellow; perianth segments 23mm long, ovate, blunt, slightly mucronate, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 11mm long, cup-shaped, smooth, mouth straight and wavy, with rim crenate. Late. Sweetly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117066)

'Golden Serenity' 2 Y-Y

(John R.Reed) John R.Reed, 2010
'Celtic Gold' × 'Dream Prince'; sdlg no. 93-1-x

'Gold Lake' 11a Y-O

(J.A.Hunter, 1996) J.A.Hunter, 2010
'Gold Collar' × 'Loch Loyal'; sdlg no. 40/91B
Fl. rounded, 98mm wide, at right angles to stem or facing slightly upwards; perianth segments 35mm long, ovate in outline, rounded at apex, vivid yellow 9B, spreading, plane, smooth and of heavy substance, overlapping; corona 25mm long, smooth, yellow-orange (17B), paling to base. Mid-season. Sunproof

'Goldmember' 1 Y-Y

(H.J.Wentink) Maveridge International, 2010
'Yellow River' hybrid; sdlg no. GT5
Fl. 115mm wide, facing up; perianth segments 45mm long, very broad, oblong or ovate in outline, rounded at apex, prominently mucronate, brilliant yellow 7A, spreading, plane, with broad midrib showing, of heavy substance, overlapping half or

more; the inner sxx(t)-14(h)5(l)7(y).(r)n(n)-5(a)-23(r)1roner,(m)3
with rim entire and loosely ro25(l)-27(l75(e)-6(d)-20(.)5(.)5(M)-18(0
omenda23(t)-13(u)138(r32(a)-30(l)5(.)5S)31(t)-6(a)-20(n)9dear:

'Gr17(e)-7(e)25(n)5(5)12(p)-6(a)-21z(*)5(5)32

(-J.A. nter438(J)-10(.)-36(A)-90(.)-25Hd)12uanter-20(, 2)-17(0)3
long, roundish-18(,)5(5(w)-2(h-159(i)13(t)2(e)-18(,)5(5(s)4(p)
(9(R-).A.p16(t)1329i)-029i R-.A.p16(t 2)-17(0)31(1)24(0)JTJ 0 -
coronw mm long, rnelshaped, rdarly riubed,
pin, oening yellow-42,d hen beco85mtng wh-159(i)13(t)2(e)5(5(5
exaned ang w46(a)9(v)-42(y318(,)5(5(w)-19(i)13(t)-14(h)5(5(5(r
o85mt90(e)5(n)9(c)lat-ur32(a)-30(l)5(5)5Stanard colo88(u)-38(r)5
(-17Ma..rdnxt 20-317(0-317(02)5(0 Bs)-3(r)5oGdn B3bt 2010
'Laeode' × (*)98(B)--2(a)-5(5(45dg)-25(i87(y).8('616(; s)99(d)-34(0
nvtoG40vaeunrun49csei, †
yellow-42,d with ang lolloe10
only o9(n)10(e23-113(t)-905(a)3(p)9]TJT†(s)-3(u)3(b)-2(s)1(t)-

'Hamilton Gardens' 1 Y-Y

(P.D.K.Ramsay, 1998) P.D.K.Ramsay, 2010

'Golden Jewel' × 'Gold Convention'; sdlg no. 98:35

Fl. forming a double triangle, 120mm wide;

perianth segments 39mm long, very broad,

spreading, plane, or with margins incurved, smooth

and of heavy substance, overlapping half; corona

42mm long, funnel-shaped, smooth, mouth straight,

frilled, with rim flanged and dentate. Late

'Harlow Creek' 2 Y-YYO

(Daniel Bellinger) Daniel Bellinger, 2010

'Altruist' × 'Golden Strand'; sdlg no. 95.1.34

Fl. forming a double triangle, 81mm wide; perianth

spreading plane, or with margins incurved, broad

and 15(o)8(f)5()5(h)10(e)-6(a)9(v)-42(y)5()5(s)-3(u)3(b)-2(s)1(t)-6(a)-20(n)9(c)-1(e)-18(,)59overlapping bro6(d)-20(3(g

'Jabberwocky' 11a Y-O

(R.A. Scamp, 1998) R.A.Scamp, 2010

'Loch Lundie' × 'Menehay'; sdlg no. 995

Fl. 95mm wide; perianth segments 34(t)-66(; s)t802p1(f)-9(o)-(e)-20(.,-21(O T33 b-9(rp1(f)a)19(t(n)4902p37(a s)t80o)-

'Lizard Beacon' 2 Y-R

(R.A. Scamp, 1996) R.A.Scamp, 2010

('Brandaris' × 'Paracutin') × 'Sportsman'; sdlg no. 889
Fl. rounded, 106mm wide; perianth segments 46mm long, roundish, slightly mucronate, opening yellow, becoming flushed with an orange tone, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments very slightly narrower, not noticeably mucronate; corona 22mm long, cup-shaped, smooth, red, mouth flared, lightly ribbed and frilled, obscurely lobed, with rim crenate and split and overlapping in places. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117084)

'Llanfair' 1 W/Y-P

(K.van der Veek) C.Kuiper, 2009

Fl. 95mm wide, facing up; perianth segments 45mm long, broadly ovate, blunt, mucronate, opening brilliant greenish yellow 4D, becoming greenish white 155A, with a narrow band of brilliant greenish yellow 4D at base and flushed pale yellow throughout, reflexed, plane, a little creased, of heavy substance, overlapping half; the inner segments narrower, spreading to a little reflexed, with margins incurved; corona 45mm long, cylindrical, smooth, pink (24C), touched (23D) at rim, mouth flared, lightly frilled and markedly lobed, rim crenate. Early. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117085)

'Longshot' 4 W-Y

(J.F.McLennan, 1990) J.F.McLennan, 2010

incurved and with midrib showing, of heavy
substance, overlappinnn23

'Minnowlet' 11a Y-Y

(June Pesterfield, 1987) R.A.Scamp, 2010

'Minnow' × 'Baccarat'; sdlg no. 17-2-312

Fl. 68mm wide; perianth segments 24mm long,

broadly ovate, blunt, yellow, with pale mucro,

spreading, plane, smooth and of heavy substance, D[s]4(p)12(r)10(e)5(p)8((p)120-3(g)-36(,)5(5(n)10(e)3e)-60e)-9(g)-36

'My Friend Sara' 11a Y-Y

(Frank Nyikos) Frank Nyikos, 2010

'Cassata' × 'Orangery'; sdlg no. 1998-1

Fl. 90mm wide; perianth segments broadly ovate, blunt, pale yellow, with prominent pale mucro, spreading to a little reflexed, plane, overlapping one-third; the inner segments narrower, less prominently mucronate, more nearly plane; corona split to base, the six segments each closely overlying a perianth segment to almost the same length and width, forming an outer and an inner whorl of three, deeply bi-lobed, a little creased, deep yellow, overlapping and heavily frilled. Very early. Dwarf. Nomenclatural Standard: colour print supplied by registrant (WSY0117096)

Etymology: named for a friend of the hybridiser

'Neat and Tidy' 4 W-Y

(Stephen J.Vinisky, 2000) Stephen J.Vinisky, 2010

'Unique' × 'Fortescue'; sdlg no. V95-119-11

Fl. 104mm wide; perianth segments 39mm long. Tall. Late

'Never-Never' 2 W-Y

(P.D.K.Ramsay, 1997) P.D.K.Ramsay, 2010

'Moiki' × 'Aprø'; sdlg no. 97:76A

Fl. 111mm wide; perianth segments 40mm long, ovate, mucronate, spreading, plane, or with margins incurved, smooth and of heavy substance, overlapping half; corona 29mm long, cup-shaped, smooth, mouth straight, wavy, with rim rolled and dentate. Early

'New Chapter' 4 Y-R

(M. Hamilton, 2000) M.Hamilton, 2010

'Brazier' × 'Kiwi Sunset'; sdlg no. 32-00

Fl. rounded, 95mm wide; perianth and other petaloid segments 35mm long, in several whorls, vivid yellow 13A, smooth; the outer whorls roundish, very broad, with bright white mucro, spreading, plane to a little concave, overlapping half or more; the inner segments a little narrower; the inner whorls becoming successively shorter, less prominently mucronate, concave or folded deeply inwards from midrib; corona segments very short, tightly clustered around the petaloids at centre,

folded deeply inwards from midrib, red (30C), frilled. Late. Sweetly scented

'Nicki's Smile' 2 Y-R

(John R.Reed) John R.Reed, 2010

'Bunclody' × 'Wild Fire'; sdlg no. 84-144-3

Tall.

Etymology: named at the request of the Washington Daffodil Society

'Oceans Eleven' 11a W-P

(Stephen J.Vinisky, 1998) Stephen J.Vinisky, 2010

'Pink Holly' × selection from . . . ; sdlg no. V93-41-5

Fls normally 1 per stem, but up to 3, forming a double triangle; perianth segments broadly ovate, blunt, slightly mucronate, white, spreading, plane, smooth, overlapping one-third; the inner segments significantly narrower, shouldered at base, prominently mucronate, with margins slightly incurved; corona split to base, the six segments one-third the length and half the width of the perianth segments, forming an inner and an outer whorl of three and each closely overlying a perianth segment, opening pastel pink, becoming soft yellowish salmon, bi-lobed, with lobes overlapping, creased, separated and lightly frilled. Scented

'Olive Blanche' 2 Y-Y

(Brian S.Duncan) Mark Vandervliet, 2010

'Paris Dream' 1 W-Y

(H.J.Wentink) Maveridge International, 2010

'Yellow River' × 'Las Vegas'; sdlg no. Bic 2

Fl. 100mm wide, facing up; perianth segments 43mm long, very broadly ovate, blunt, slightly mucronate,

narrowly ribbed, lobed, with rim entire. Mid-season.
Sweetly scented.

Nomenclatural Standard: colour print supplied by
registrant (WSY0117111)

Etymology: named after the parish and church of
Sint Victor, Obdam

'Soft Ruby' 2 W-P

(Colin Crotty, 2000) Colin Crotty, 2010

mucronate, lemon yellow, with a band of white at base, spreading to a little reflexed, plane, smooth and

'Teeny Tiny' 1 W-W

(Stephen J.Vinisky) Stephen J.Vinisky, 2010
'Xana' × 'Candlepower'; sdlg no. V99-3-6
Dwarf

'Temple Hills' 3 W-YYO

(Mary Lou Gripshover, ?1992) Mary Lou Gripshover, 2010
'Angel' × 'Fellowship'; sdlg no. 84-3-NN
Fl. 75mm wide; perianth segments 31mm long, roundish, mucronate, white, spreading, concave, smooth, overlapping half; the inner segments narrower, shouldered at base; corona 10mm long, cup-shaped, smooth, pale yellow, with a band of orange at rim, colours paling with maturity, mouth a little expanded, narrowly ribbed, wavy, with rim split and overlapping in places. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0117119)
Etymology: named for a golf course in Franklin, Tennessee

'Tequila Sunset' 8 W-OOY

(Wilfred Hall) Wilfred Hall, 2010
'Avalanche' × 'Bogside'; sdlg no. AVX-7
Fls 4–7 per stem, rounded, 50mm wide; perianth segments 20mm long, ovate, blunt, mucronate, white, spreading, plane to concave or with margins incurved, creased, of heavy substance, overlapping half or more; the inner segments shouldered at base, not noticeably mucronate, strongly inflexed; corona 10mm long, bowl-shaped, angled, opening strong orange N25C, becoming yellow-orange (23A), with a band of vivid yellow 17C at rim, mouth slightly flared, wavy, with rim a little notched. Early. Nomenclatural Standard: colour print supplied by registrant (WSY0117121)
Etymology: named for the colours in the corona

'The Sundance Kid' 2 Y-R

(P.DSTf-0.005 Tc 0 -1.333 TD[(0)9(P)63(.)-2(N2/W(cr)10(e)-6(a)-21(s)-5(e)-6(d)-20(,18(r)-8(-20(s()5(W4t)-20(l)(o)3(f

incurling; corona 8mm long, bowl-shaped, smooth, red (30C), mouth a little expanded, lightly ribbed and frilled, with rim crenate and split and overlapping in places. Dwarf. Late. Sunproof.
Nomenclatural Standard: colour print supplied by registrant (WSY0117123)
Etymology: named for the open pit iron mine in Upper Michigan

'Tolvaddon' 11a W-W

(R.A. Scamp, 1998) R.A.Scamp, 2010
'Pitchroy' × 'Belcanto'; sdlg no. 998
Fl. 97mm wide; perianth segments 39mm long, very broadly ovate, blunt, prominently mucronate, pure white, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, slightly inflexed; corona segments 25mm long, split to base, each closely overlying a perianth segment, forming an outer and an inner whorl of three, of the same width as the perianth segments, deeply lobed, lightly ribbed, creamy white, heavily frilled. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117124)
Etymology: named for a location in Cornwall

'Topsy Turvy' 4 Y-Y

(R.A. Scamp, 1995) R.A.Scamp, 2010
(‘Saint Keverne’ × ‘Golden Aura’) × ‘Fiji’; sdlg no. 687
Fl. 82mm wide; perianth and other petaloid segments in three whorls, yellow, with white mucro, of heavy substance; the two outer whorls 30mm long, broadly ovate, blunt, spreading, concave, smooth, overlapping half or more; the inner whorl

irregularly lobed, with rim entire. Mid-season.
Nomenclatural Standard: colour print supplied by
registrant (WSY0117128)

'Tropical Punch' 4 Y-P

(Stephen J.Vinisky, 1999) Stephen J.Vinisky, 2010
'Baldock' × 'Capree Elizabeth'; sdlg no. V94-43-7
Fl. 94mm wide; perianth segments 42mm long.
Late. Sunproof

'Trudith' 2 Y-R

(M.E.Brogden, 1998) Brogden Bulbs, 2010
'Trudie May' × sdlg 186/21 ('Kiwi Moon' × 'Some
Day'); sdlg no. BB 3-01-1
Fl. rounded, 107mm wide; perianth segments
46mm long, very broadly ovate in outline, rounded
at apex, mid-yellow, spreading, plane, smooth and of
heavy substance, overlapping half; corona 22mm
long, bowl-shaped, smooth, deep orange-red, mouth
straight and even, with rim entire. Mid-season.
Etymology: nickname of hybridiser's granddaughter

'Try Line' 3 W-YR

(J.A.Hunter, 1991) J.A.Hunter, 2010
'Challenge' × 'Waipaoa'; sdlg no. 18/86A
Fl. forming a double triangle, 115mm wide; perianth
segments 45mm long, ovate, white, spreading, plane,
smooth and of heavy substance, overlapping; corona
12mm long, bowl-shaped, ribbed, vivid yellow 15A,
with red (34A) at rim, mouth flared and wavy.
Mid-season. Slightly scented

'Twinkling Yellow' 7 Y-Y

(Walter J.M.Blom) J.S.Pennings, 2010
A selection from . . . var. . . .
Fls 3–5 per stem, 40mm wide, vivid yellow 9A;
perianth segments 18mm long, oblong in outline,
rounded at apex, prominently mucronate, spreading,
plane, or with margins a little incurved, smooth,
overlapping a quarter; the inner onrgā.

'Wakerley Wood' 1 WWY-Y

(John Gibson) John Gibson, 2010

'Elmbridge' × 'Stormy Weather'; sdlg no. 122/10/98
Fl. 106mm wide; perianth segments 44mm long, very broadly ovate in outline, rounded at apex, white, with a narrow band of brilliant greenish yellow 6B at base, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments significantly narrower, blunt at apex; corona 49mm long, cylindrical, smooth, brilliant greenish yellow 6B, mouth flared, lightly ribbed, wavy, with rim rolled and irregularly dentate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117132)

'Wangawinna' 2 W-W

(J.F.McLennan, 1995) J.F.McLennan, 2010

Sdlg (Mrs L. Simpson 1W-W) × 'Merry Princess'; sdlg no. 95-41

Fl. forming a double triangle, 110mm wide; perianth segments broad, oblong to ovate, blunt, mucronate, white, spreading, plane, smooth and of heavy substance, overlapping one-third to a half; the inner segments narrower, more nearly ovate, less prominently mucronate; corona funnel-shaped, smooth, opening light yellow, becoming white, mouth narrowly flared, lightly ribbed, a little wavy, with rim minutely crenate. Mid-season

'Welland Vale' 1 Y-Y

(John Gibson, 1995) John Gibson, 2010

'Tenterfield' × 'Corbiere'; sdlg no. C6-91

Fl. 106mm wide; perianth segments 44mm long, broadly ovate, blunt, vivid yellow 9A, with prominent white mucro, spreading, plane or with margins slightly incurved at apex, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 46mm long, funnel-shaped, angled, vivid yellow 13A, mouth a little expanded, wavy and broadly ribbed, with rim crenate. Mid-season.
Nomenclatural Standard: colour print supplied by registrant (WSY0117134)

'Wellspring' 5 Y-Y

(R. & E.Havens, 1989) R. & E.Havens, 2010

'Hillstar' × 'Hillstar'; sdlg no. Y93/37

Fls 4-5 per stem, 70mm wide, facing down; perianth segments 30mm long, oblong in outline, blunt at apex, mucronate, lemon yellow, reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, ovate, blunt, less prominently mucronate; corona 18mm long, cup-shaped, smooth, a shade lighter than the perianth segments, mouth straight, narrowly and very lightly ribbed, even, with rim entire. Late.
Nomenclatural Standard: colour print supplied by registrant (WSY0117135)

'Whatsthis' 1 Y-Y

(M.E.Brogden) Brogden Bulbs, 2010

'Impeccable' × 'Reward'; sdlg no. BB 7-5-02

Fl. forming a double triangle, 90mm wide, deep yellow; perianth segments 35mm long, blunt, spreading, plane, smooth, overlapping half; the inner segments narrower, twisted; corona 43mm long, cylindrical, ribbed, with mouth wavy and rim slightly flanged

yl7 O(24(0)-11(6)7(m)-15(m)5()5(l)-19(i)136)2(e)5(;)5()5(c)-5
very lr amlrte, dun4llightly rearae, d5()JTJ0 Tc 0 [(i)4(p)12(r)10(e)

more; the inner segments broadly ovate, truncate, not noticeably mucronate, more nearly spreading; corona 3mm long, disc-shaped, narrowly ribbed, mouth even, with rim dentate. Mid-season. Strongly scented

'Whitford Companion' 4 Y-O

(M.Hamilton, 1998) M. Hamilton, 2009

plane, smooth, overlapping one-third to a half; the inner segments narrower, less prominently mucronate; corona 4mm long, bowl-shaped, smooth, mouth a little expanded, lightly ribbed, with rim entire. Early. Strongly scented

'Whitford Hope' 9 W-GYR

(M.Hamilton) M.Hamilton, 2010

Sdlg × sdlg; sdlg no. 92-05

Fl. rounded, 60mm wide; perianth segments 27mm long, roundish, truncate, prominently mucronate, slightly reflexed, plane, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, not noticeably mucronate; corona 4.5mm long, disc-shaped, smooth, mouth slightly expanded, thickly ribbed, a little wavy, with rim crenate. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117140)

'Whitford Journey' 9 W-GYR

(M.Hamilton) M.Hamilton, 2010

Sdlg × sdlg; sdlg no. 81-04

Fl. 65mm wide; perianth segments 28mm long, very broadly ovate, blunt, truncate, prominently mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half; the inner segments narrower, not noticeably mucronate; corona 4mm long, disc-shaped, broadly ribbed, mouth even, with rim crenate. Mid-season. Sweetly scented

'Whitford Joy' 9 W-GYR

(M.Hamilton) M.Hamilton, 2009

Sdlg × sdlg; sdlg no. 168-03

Perianth segments very broad, roundish, truncate, slightly mucronate, spreading, plane to a little concave, smooth and of heavy substance, overlapping half or more; the inner segments a little narrower, not noticeably mucronate, more nearly plane; corona disc-shaped, broadly ribbed, mouth a little wavy, with rim crenate. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117141)

'Whitford Miniskirt' 9 W-GYR

(M.Hamilton) M.Hamilton, 2010

Sdlg × sdlg; sdlg no. 21-04

Fl. 46mm wide; perianth segments 19mm long, very broad, roundish, prominently mucronate, a little reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments a little narrower, less prominently mucronate; corona 3mm long, disc-shaped, broadly ribbed, mouth a little wavy, with rim crenate. Late. Sweetly scented.

Nomenclatural Standard: colour print supplied by registrant (WSY0117142)

'Whitford Moonlight' 2 Y-Y

(M.Hamilton) M.Hamilton, 2009

Parentage unknown; sdlg no. 55-03

Fl. forming a double triangle, 100mm wide, light greenish yellow 4B; perianth segments 45mm long, broadly ovate, blunt, with prominent, pale mucro, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base, less prominently mucronate, a little inflexed; corona 38mm long, funnel-shaped, smooth, mouth flared, broadly ribbed, wavy, with rim entire. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117143)

'Whitford Old Timer' 2 Y-Y

(M.Hamilton, 1974) M.Hamilton, 2009

Sdlg × sdlg; sdlg no. 1-74

Fl. forming a double triangle, 105mm wide; perianth segments 45mm long, very broad, rounded at apex, vivid yellow 9A, plane or with margins incurved, smooth and of heavy substance; corona 35mm long, funnel-shaped, smooth, vivid yellow 15A, mouth ribbed, with rim flanged and crenate. Mid-season

'Whitford Place' 1 YYW-WWY

(M.Hamilton) M.Hamilton, 2009

'Golden Mydon' × sdlg (1 Y-Y)

Fl. 105mm wide; perianth segments 42mm long, broadly ovate, blunt, brilliant greenish yellow 5A, with white at mucro and in a narrow band at base, spreading, plane or a little concave, smooth and of heavy substance, overlapping half; the inner

**ADDITIONS AND AMENDMENTS TO THE INTERNATIONAL DAFFODIL
REGISTER AND CLASSIFIED LIST (2008) AND SUPPLEMENTS 1 & 2**

The compilers are grateful to those who have drawn attention to omissions from the

'F.C.J. Spurrell'	Alter First Flowering Date to: pre-1919. Add: Spurrell ob. 1919
'Flashback'	PC: 2010
'Gold Medal'	Add: AGM 2010
'Great Gatsby'	Add: AGM 2006
'Greek Surprise'	Add: AM 2010
'Handsome Lake'	Add pollen parent: 'Lod'. Remove 'Lod' from sdlg no.
'Henry Blake'	Alter First Flowering Date to: pre-1919. Add: Spurrell ob. 1919
'Henry Vaughan'	Add corona colour: R
'Hummingbird'	Add: PC 2010
'Ice Chimes'	Change colour code to W-Y. Add note to perianth segment description: opening yellow, paling to ivory yellow and becoming white
'Idol'	Alter division to: 7
'India'	Alter AGM date to: 2006
'Jammin'	Add: AM 2010
'Lady Ogilviy Dagleish'	Alter First Flowering Date to: pre-1919. Add: Spurrell ob. 1919
'Lemon Puff'	Note change of colour code from 4 Y-Y to 4 W-Y. Alter sdlg no. to: V91-10-3
'Little Alice'	Add: PC 2010
'Little Lulu'	Alter sdlg no. to: 93-6-3
'Maria Pia'	Add: PC 2010
'Misty Glen'	Add: Wister Award 2010
'Mrs Camm'	Alter syn to: Syn. of 'Mrs J.B.M. Camm'
'Noevia'	Remove: Syn. of 'Naevia'. Add Syn. 'Naevia'
'Ohio'	Add pollen parent: 'Brahms'. Remove 'Brahms' from sdlg no.
'Oregon Lights'	Alter sdlg no. to: REH26/1
'Oregon Pioneer'	Add: Pannill Award 2010
'Pequenita'	Add: PC 2010
'Queen Mum'	Alter Seed Parent to: 'Preamble'
' × ...	In List of Botanical Names ensure tilde on a in author name Leitão
' ... subsp.	Add: PC 2010
' ... var. ...	
'Strines'	Add: AGM 2010
'Sun Disc'	Add: Wister Award 2010
'Tapin'	Add pollen parent: 'White Knight'. Remove 'White Knight' from sdlg no.


Maveridge International Sint Maarten, the Netherlands
McKenzie, Loyce Madison, Mississippi, USA
McQuarrie, Denise E. Motueka, New Zealand
Nyikos, Frank Unionville, Indiana, USA

Amendments to the List of Originators and Registrants

Archibald, J.C. d. 2010
Hamilton, Max d. 2010
Parton, Mrs M. d. 2010
Spurrell, Miss Katherine Add date of birth: 1852. Alter date of death to: 1919

stamjtro-~~g~~~~inc~~~~mm~~~~o~~~~r~~~~id~~~~b~~~~s~~ ~~cor~~~~on~~~~a~~~~s~~ ~~cor~~~~on~~~~a~~~~m~~~~ou~~~~th~~~~r~~~~i~~~~m~~~~i~~~~n~~~~e~~~~n~~~~d~~~~e~~~~r~~~~g~~~~a~~~~n~~~~t~~

PERIANTH SEGMENTS



CORONA - from the side

CORONA MOUTH - from the side

CORONA RIM - from the side

