iety

© 2012 e Royal Horticultural Society 80 Vincent Square, London SW1P 2PE, United Kingdom www.rhs.org.uk

Charity registration number 222879 / SC038262

International Da odil Registrar: Sharon McDonald

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

9781907057298

Printed and bound in the UK by Page Bros, Norwich

e previous supplement (ird Supplement) was published on 1st March 2011.

Cover: "Narcissus cyclamineus, Johnstoni and Triandrus albus" from 1887 Barr and Son da odil catalogue. Image courtesy of RHS Lindley Library

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 - on classification

The combination of division and colour code assigned here (or as amended in any future Supplement) is the registered classification, to be observed, for example, when schedules require cultivars to be shown "as registered". The registered classification is not altered by any note of variable measurement or colour. (See pp. 34 ff. for any notes of variability in previous registrations.)

Note 2 - on colour coding

Guidelines on colour coding, including those on distinguishing between Yellow and Orange and between Orange and Red, appear in the Register and on registration forms. It is at the registrant's discretion to distinguish White from Yellow or Green, Yellow from Green, or Pink from the paler tones of Orange or Red.

In addition:

- green at corona base

The green at the base of a corona, whether in the tube or in the corona itself, may be included in the colour code if it is prominent and plain to see. Registrants are advised to include it only if it is consistent from year to year.

- non-concentric colours

When coding colours in perianth or corona that appear in radial rather than concentric bands, or in a flare from the base, or in flecks or splashes: start with a letter for the predominant colour; proceed with an oblique line; follow with the letter(s) (in any order) for the non-predominant colour(s).

For example, a yellow flower with a white streak along the midrib of the perianth segments would be

'Alnwick Magic' 4 W-O

(K.van der Veek) Narveco, 2011 sdlg no. KV 01/56 Fl. 100mm wide, facing up; perianth and other petaloid segments 41mm long, greenish white 155C, in two whorls; the outer whorl broad, oblong in outline, rounded at apex, slightly mucronate, spreading, plane or with margins incurved, with midrib showing, of heavy substance, overlapping one third to a half; the inner segments more nearly ovate, shouldered at base, blunt; the inner whorls, strongly inflexed, folded inwards from midrib, with margins wavy; corona in several whorls; the outer whorl entire, 40mm long, cup-shaped, smooth, yellow-orange (16B), mouth flared, narrowly ribbed, frilled, irregularly lobed, with rim rolled and crenate; the inner whorls split into segments half the length of the perianth and other petaloid segments, tightly clustered at centre, yellow-orange (21C), deeply folded, with margins wavy. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117425)

'Amber Waves' 2 W-YPP

(O. David Niswonger, 2000) O. David Niswonger, 2011 37-93 ('Gold Convention' × 3-87 ['Baron's Court' × 'Inca Gold']) × 33-93 ('Gold Convention' × 'Inca Gold'); sdlg no. 9-0nT*[(S-39(2)-560[(S11[(S-3c 0 -1.333 TD [((f)o)180 -1.333 TD f)4)-4(I)-19(n)9(c)-5(a)]TJ 0.013 45mm long, funnel-shaped, angled, opening yellowish pink (158B), with light yellowish pink 159A at rim, becoming yellowish pink (158B), mouth straight, lightly ribbed, wavy, with rim crenate and broadly flanged. Dwarf. Mid-season. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117428)

'Apricot Star' 11a W-P

(Brian S. Duncan) Narveco, 2011 Fl. forming a double triangle, 120mm wide; perianth segments 52mm long, very broadly ovate, blunt, prominently mucronate, greenish white 155C, spreading, plane, smooth and of heavy substance, overlapping a guarter; the inner segments very narrow, acute at apex, shouldered at base, less prominently mucronate; corona split to base, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, 30mm long, a little narrower than the perianth segments, light yellowish pink 19B, touched pale yellow 19C at rim, bi-lobed, with lobes overlapping, lightly creased and wavy. Mid-season. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117430)

'Art Design' 4 Y-Y

(J.de Winter) H.van der Zon & Zn, 2010 Fl. 100mm wide, facing up; perianth and other petaloid segments 40mm long, light greenish yellow 4C, with light yellow (4D) stripes, in two whorls; the outer whorl roundish, very broad, slightly mucronate, reflexed, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, plane; the inner whorl contained inside the corona, strongly inflexed and folded slightly inwards from midrib; the corona in two whorls, brillin t36()3(l)-23(l)15(o)15(w)]TJ (x)16(e)-1(d)-15(15(e)10()2(o)13(u)12(c)1(h-9(h)15(e)10te)9(n)t)-9(10(c))

p-9yd4i0ft6na, stser

(15A), mouth straight, ribbed and even, with rim entire. Mid-season. Sweetly scented. Nomenclatural Standard: photographic transparency supplied by registrant (WSY 0117440)

'Bico Star' 1 W-Y

(K.van der Veek) W.van Lierop & Sons, 2011 Fl. 130mm wide; perianth segments 50mm long, very broadly ovate, blunt, slightly mucronate, opening light yellow (4D), becoming greenish white 155A, spreading, plane to concave, smooth and of heavy substance, overlapping half; the inner segments narrower; corona up to 50mm long, funnel-shaped, angled, vivid yellow 12A, mouth flared, lightly ribbed, wavy and a little lobed, with rim entire. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117441)

'Big Smile' 1 Y-Y

(K.van der Veek) Narveco, 2011 Fl. forming a double triangle, 150mm wide, facing slightly upwards; perianth segments 58mm long, broadly ovate, blunt, prominently mucronate, vivid yellow 9A, slightly twisted, with margins incurling, a little creased, of heavy substance, overlapping one-third to a half; the inner segments narrower, shouldered at base, less prominently mucronate; corona 65mm long, funnel-shaped, lightly ribbed, vivid yellow (9A/12A), mouth broadly flared, frilled and lobed, with rim entire. Dwarf. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117442)

'Bright Corsage' 2 Y-O

(K.van der Veek) T.C.Smakman, 2010 Fl. 102mm wide, facing slightly downwards; perianth segments 40mm long, broadly ovate, blunt, slightly mucronate, light yellow (10A/10B), spreading to a little inflexed, plane or with margins incurling, with midrib showing, of membranaceous to heavy substance, overlapping half; corona 34mm long, bowl-shaped, broadly ribbed, strong orange N25C, mouth widely aDle0(7(a)-227:m P)-1 r(u)12(p5m)-n 40mpa ;

; s-9.lng n. 9p2-9(p)21-44:-42)

'Coberside' 2 Y-P

(R.A.Scamp, 1995) R.A.Scamp, 2011 'Daydream' × 'Dailmanach'; sdlg no. 962 Fl. forming a double triangle, 116mm wide; perianth segments 45mm long, broadly ovate, blunt, prominently mucronate, pale yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 30mm long, funnel-shaped, smooth, pink, narrowly flared, a little wavy and irregularly lobed, with rim crenate. Mid-season to late. Nomenclatural Standard: colour print supplied by registrant (WSY0117458)

'College Years' 3 Y-YYO

(R. & E.Havens) R. & E.Havens, 2011 'Yale' × 'Spring Coronation'; sdlg no. MH12/1 Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, broadly ovate, blunt, mucronate, pale yellow, deepening at maturity, spreading, plane, smooth and of heavy substance, overlapping one-third; corona 12mm long, bowl-shaped, smooth, yellow, with a narrow band of yellow-orange at rim, mouth slightly expanded, narrowly ribbed, a little wavy, with rim crenate.

'Dangerous Dentures' 2 W-Y

(O. David Niswonger) O. David Niswonger, 2011 ('Inverpolly' × 'Early to Rise') × 'Circle of Pink'; sdlg no. 4-08

FI. 95mm wide, facing slightly upwards; perianth segments 38mm long, broadly ovate, blunt, prominently mucronate, white, spreading, a little concave, smooth, overlapping one-third to a half; the inner segments slightly narrower, a little inflexed, with margins incurved; corona 25mm long, bowl-shaped, lightly ribbed, very pale yellow, mouth expanded and heavily ribbed, with rim dentate. Some parts of the corona protrude above the rim, giving it a jagged appearance. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117465)

Etymology: the name comes from the look of the rim of the corona

'Dash' 11a Y-P

(R. & E. Havens) R. & E. Havens, 2011 'Trans American' X XH126/2 ('Lemon Lyric' × 'Pink Holly'); sdlg no. OH13/1 Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, bright yellow, spreading, plane or with margins slightly incurved, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 27mm long, split to base, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, two-thirds the width of the perianth segments, bi-lobed, with lobes overlapping, lightly creased, bright pink, heavily frilled. Late. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117466)

'Derek Tangye' 2 Y-O

(R.A.Scamp, 1996) R.A.Scamp, 2011 ('Saint Keverne' × 'Golden Aura') × 'Loch Lundie'; sdlg no. 605 Fl. forming a double triangle, 102mm wide; perianth segments 41mm long, very broadly ovate, blunt, mucronate, rich yellow, spreading, concave, with margins incurling, with midrib showing, of folded; corona segments in several whorls, 22mm long, interspersed among the petaloid segments and clustered at centre, opening light yellow, with yellow-orange at base, moving to light yellow 10B, with yellow-orange (19A) at base and greenish white 155C at rim, becoming greenish white 155C, with yellow-orange 19A at base, the segments becoming successively more lobed, crumpled and inflexed. Mid-season. Sweetly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117468)

'Double Star' 4 W-Y

(K.van der Veek) W.van Lierop & Sons, 2011 Fl. 110mm wide, facing slightly upwards; perianth and other petaloid segments in two whorls, white (NN155A); the outer whorl 40mm long, very broadly ovate, blunt, prominently mucronate, spreading, a little concave, smooth and of membranaceous to heavy substance, overlapping half or more; the inner segments narrower, shouldered at base, slightly inflexed, less prominently mucronate; the inner whorl shorter, more strongly inflexed, with margins incurling; corona segments 30mm long, interspersed between the two whorls of petaloid segments and clustered at centre, half the width of the petaloid segments, roundish, vivid yellow 13A, wavy, the innermost segments crumpled. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117470)

'Downfield' 4 Y-O

(Maurice Kerr, 1997) Maurice Kerr, 2011 'Smokey Bear' × 'Limbo'; sdlg no. MK52 FI. 110mm wide; perianth and other petaloid segments in three whorls; the outer whorl 50mm long, broadly ovate, blunt, slightly truncate and mucronate, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments narrower and shouldered at base; the middle whorl shorter and narrower than the outer whorl, inflexed and slightly creased; the inner whorl more strongly inflexed, folded inwards from midrib, with margins incurled and wavy; corona segments half the length of the perianth segments, interspersed among the middle and inner whorls of perianth segments and clustered at centre, broad, with wavy margins. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117472) Etymology: named for the house of the raiser

'Downing College' 2 Y-Y

(R.A.Scamp, 194mp, 193(w)18(41(ly)-36(mp)-843f)1(h)25(e)20(): registrant (WSY0117472) Etymololy: named for the house of tP0s12(p)9()5(o 03-8(s)6-5(-20

substance, overlapping half or more; the inner segments broadly ovate, shouldered at base, not noticeably mucronate, more nearly plane, a little creased; corona 50mm long, funnel-shaped, six-angled, pink (26C), with orange-pink (24D) at base, mouth a little expanded, lightly ribbed, frilled and lobed, with rim shallowly rolled and minutely dentate to crenate. Mid-season. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117482)

'Ferris Wheel' 2 Y-O

(R.Huijg) H.G.Huijg & Sons, 2011 'Jules Verne' × 'Wild Carnival' Fl. 116mm wide; perianth segments 46mm long, very broadly ovate, blunt, slightly mucronate, brilliant greenish yellow 4A, spreading, concave, with margins incurved, with midrib showing, of heavy substance, overlapping one-third to a half; the inner segments significantly narrower, shouldered at base, roundish at apex, less prominently mucronate; corona 35mm long, bowl-shaped, narrowly ribbed, yellow-orange (23A), mouth widely expanded, heavily frilled and lobed, with rim crenate and widely flanged. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117484)

'Festive Gift' 7 Y-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011 Sdlg 4B \times *N. ic la* hybrid (#12A); sdlg no. 184-1 Fl. 42mm wide; perianth segments ovate, blunt, mucronate, brilliant greenish yellow 6B, spreading to slightly reflexed, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, with margins incurved; corona bowlshaped, ribbed, brilliant greenish yellow 6A, mouth expanded, wavy and lobed, with rim minutely

'Freya Soden' 2 W-P

(D.C.MacArthur) D.C.MacArthur, 2010 'Pismo Beach' × un-named 2 W-P; sdlg no. ED0398 FI. forming a double triangle, 95mm wide; perianth segments 41mm long, very broadly ovate, blunt, mucronate, yellowish white 155A, spreading, plane or with margins incurled, creased, of heavy substance, overlapping half or more; the inner segments slightly narrower; corona 24mm long, funnel-shaped, ribbed, moderate yellowish pink 31D, with light yellowish pink 29C at base and pink orange (N25D), mouth widely expanded, wavy and lobed, narrowly ribbed, with rim flanged and entire. Mid-season. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117493)

Etymology: named for Mr Gerrit de Maijer, who did a great job for the public green in the community of Sneek

'Gold Card' 1 Y-Y

(Colin Crotty) Colin Crotty, 2011 'Midas Touch' × 'Valley Lode'; sdlg no. 6-03 FI. forming a double triangle, 105mm wide; perianth segments 42mm long, broadly ovate, blunt, mucronate, golden yellow, spreading, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments narrower, less prominently mucronate; corona 47mm long, cylindrical, angled, a slightly deeper tone than the perianth segments, mouth straight, lightly ribbed and frilled, with rim narrowly flanged and minutely dentate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117495)

'Gold Disc' 11a Y-Y

(R.van Lierop) W.van Lierop & Sons, 2011 'Suncollar' × 'Las Vegas'; sdlg no. R.Spl.2 Fl. 110mm wide, vivid yellow 9A; perianth segments 50mm long, broadly ovate, blunt, slightly mucronate, spreading to a little concave, with midrib showing, of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 46mm long, deeply split, the six segments each closely overlying a perianth segment, forming an outer and an inner whorl of three and of the same width as the perianth segments, lobed, with lobes overlapping, smooth, very heavily frilled. Dwarf. Early. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117496)

'Gold Trio' 2 Y-Y

(P.D.K.Ramsay) P.D.K.Ramsay, 2011 92:23A ('Clear Gold' × 'Golden Vale') × 'Jim's Gold'; sdlg no. 07:120 FI. forming a double triangle, 112mm wide; perianth segments 46mm long, mucronate, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping a quarter; the inner segments shouldered at base; corona 42mm long, funnel-shaped, smooth, mouth flared and even, with rim rolled and entire. Early. Etymology: bred from three golds

'Goodness Gracious' 1 Y-P

(John R.Reed) John R. Reed, 2011 Sdlg (2 Y-P) × 'Pink Sun'; sdlg no. 2003-32-1

'Good Success' 11a W-O

(June Pesterfield) R.A.Scamp, 2011 'Colorange' × 'Menehay'; sdlg no. PES 19/20 Fl. 98mm wide; perianth segments 38mm long, roundishe 5.598 -1.C730230(d)77())(m)5() Flda)m cronate,

'Greengarden' 2 Y-W

(H.Wijnhout) H.Wijnhout & Sons, 2011 'Mount Hood' × 'Spellbinder' FI. forming a double triangle, 105mm wide; perianth segments 50mm long, very broadly ovate, blunt, mucronate, brilliant greenish yellow 5A, spreading to a little inflexed, concave, with margins incurved, smooth and of heavy substance, overlapping half; the inner segments much narrower; corona 38mm long, funnel-shaped, ribbed, opening light greenish yellow 5D, becoming white, mouth a little expanded, wavy and lightly lobed, with rim dentate and broadly flanged. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117500)

'Gwen Bell' 11 W-YPP

(D.S.Bell) David Adams, 2011 Fl. forming a double triangle, 98mm wide; perianth segments 40mm long, ovate, mucronate, whitish, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower; corona 20mm long, yellow, shading to pink at margins. Mid-season. Sunproof. Etymology: named by the Nelson AGS in memory of a member

'Harrogate Centenary' 2 Y-O

(R.Beckwith) R.Beckwith, 2011

'Chateau Impney' × 'Desert Storm'; sdlg no. 1-5-97 Fl. rounded, 96mm wide; perianth segments 39mm long, very broad, blunt, vivid yellow 9B, spreading, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 14mm long, cup-shaped, ribbed, orange (23A), mouth flared and wavy, with rim crenate. Tall. Mid-season. Sweetly scented. Etymology: named to celebrate the 100th Harrogate Flower Show, which took place in 2011

'Helen Murdoch' 1 Y-Y

(D.C.MacArthur, 1997) D.C.MacArthur, 2010 'Arkle' × 'Saint Duthus'; sdlg no. ED10591 Fl. forming a double triangle, 103mm wide, facing up; perianth segments 43mm long, very broad, blunt, mucronate, brilliant yellow 13C, spreading, convex, with margins incurling, creased, of heavy substance, overlapping one-third; the inner segments slightly narrower; corona 48mm long, cylindrical, ribbed, vivid yellow 14B, mouth flared and frilled, with rim crenate. Late. Sweetly scented

'Helen Nicholl' 2 W-Y

(Reg Nicholl, 1992) Reg Nicholl, 2011 'Berry Gorse' × 'Tudor Minstrel'; sdlg no. 10/92

'Kiwi Lady' 2 W-GRR

(P.D.K.Ramsay, 2001) P.D.K.Ramsay, 2011 'Cameo Marie' × 'Centrefold'; sdlg no. 02:30A Fl. rounded, 110mm wide; perianth segments 46mm long, roundish in outline, blunt at apex, spreading, plane or with margins incurved, smooth and of heavy substance, overlapping one-third; corona 44mm long, bowl-shaped, smooth, mouth expanded and lobed, with rim flanged and crenate.

Mid-season ou27(o)-()5(l)1-(a)1(t)5(e)-17(.-()5(lS)2u)-15(n)18564()5(b)5(l)13(u)-15(n)6(e)-17(.64)-17(m)13(t)eud g

'Little Pinkie' 8 W-P

(H.Koopowitz) H.Koopowitz, 2011 'Little Ruby' × *N. if li*; sdlg no. 02-139-1 Fls 2–3 per stem, forming a double triangle, 39mm wide; Nomenclatural Standard: colour print supplied by registrant (WSY0117510) Etymology: named for the school mascot

'Mamasan' 3 W-Y

(John R.Reed) John R.Reed, 2011 Parentage unknown; sdlg no. 1993-10

'Manor Born' 2 Y-Y

(W.Gould, Jr, 1989) W.Gould, Jr, 2011 'Euphony' × 'Rubythroat'; sdlg no. 84-9-A Fl. forming a double triangle, 120mm wide; perianth segments 50mm long, spreading, plane; corona 40mm long, mouth flared and wavy, with rim crenate. Mid-season

'M'aon Grian' 2 W-Y

(D.C.MacArthur, 1992) D.C.MacArthur, 2010 'Preamble' × 'Braniel'; sdlg no. ED6385 Fl. forming a double triangle, 94mm wide; perianth segments 41mm long, ovate, blunt, yellowish white 155C, spreading, plane or with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner segments slightly narrower; corona 32mm long, funnel-shaped, ribbed, brilliant greenish yellow 6C, mouth flared, frilled and lobed, with rim crenate. Mid-season. Sweetly scented.

Etymology: Gaelic for "My only sunshine"

'Marbleglen' 2 W-WYP

(Colin Crotty, 1999) Colin Crotty, 2011 ('Precedent' × 'Eclat') × ('Flame Opal' × 'Eclat'); sdlg no. 20-99

FI. 105mm wide; perianth segments 42mm long, roundish, very broad, blunt, mucronate, white, spreading, plane to a little concave, smooth and of membranaceous substance, overlapping half; the inner segments narrower, shouldered at base, more nearly plane; corona 17mm long, disc-shaped, regularly ribbed, creamy yellow, with a broad band of pink at rim, mouth expanded and six-lobed, with rim a little notched. Mid-season. Strongly scented.

Nomenclatural Standard: colour pri d(n)184-4-11nltit ro(-)1^{*}(r)109p(d)-2I0(o) SteWISStYeE0 9(1)4E0(e"

orange 25C; the outer whorl entire, 45mm long, cup-shaped, smooth, mouth expanded, wavy, irregularly lobed, the lobes overlapping, with rim narrowly flanged and entire; the inner whorls tightly clustered at centre, folded and a little frilled. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117515)

'Martha Cash' 8 W-P

(H.Koopowitz & Marilynn Howe) H.Koopowitz & Marilynn Howe, 2011

'Pink China' \times *N. d. bi* ; sdlg no. 03-036-24 Fls 2–3 per stem, rounded, 35mm wide; perianth segments 14mm long, very broadly ovate in outline, rounded at apex, white, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower; corona 7mm long, cup-shaped, smooth, clean, uniform mid-pink, mouth straight and even, with rim entire. Dwarf. Mid-season. Sunproof.

Etymology: named for the wife of a former United States Consul General to Spain

'Mary Ann Telfer' 2 Y-YOO

(D.C.MacArthur, 1997) D.C.MacArthur, 2010 'Morag MacDonald' open pollinated; sdlg no. ED40492

FI. forming a double triangle, 100mm wide; perianth segments 45mm long, very broadly ovate, blunt, mucronate, brilliant yellow 13C, spreading, plane or with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 36mm long, funnel-shaped, ribbed, yellow-orange 17A, with

orange-yellow (ow-o(d)-208)9()2(-)17(y)10(e).yell mo25()-18(r)-2(l)-28ad()5(na)-1113(n)9(e)-2(l)-1(a)-18(r)-m.e82dng funneor wengblulgcc T293(137(g(l)13(u)-d)-29(l10(w)5()5(()5-7010(o)10(w)-9)5(o9(d)-20()10(o)5(m)-30i-12r)-fug 12d, ribbet85(t6(na)67(g)-25(m-r)50(n)-3(g)-8)2(y)5antu()5(s)-5(e)-7(g8(e)-6g0()-(i(w)5(5(4)28(5)-3(a)-9(d)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-20()10(e)-

'Merels Favourite' 2 W-Y

(K.van der Veek) C.Kruijer & Son, 2010 Fl. forming a double triangle, 120mm wide; perianth segments 50mm long, very broadly ovate, blunt, mucronate, yellowish white 155B, spreading, with margins a little incurved, with midrib showing, of membranaceous to heavy substance, overlapping half; the inner segments significantly narrower, shouldered at base, a little inflexed; corona 40mm long, cylindrical, smooth, vivid yellow 9A, mouth expanded, neatly ribbed, a little wavy, with rim flanged and crenate. Mid-season. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117520) TGA 2010

'Merrilands' 2 W-P

(David Adams, 2001) David Adams, 2011 'Ebony' × 'Dear Me'; sdlg no. 95/14H Fl. forming a double triangle, 110mm wide; perianth segments 45mm long, mucronate, slightly off-white, spreading, plane, smooth and of membranaceous substance, overlapping half; the inner segments narrower; corona 41mm long, funnel-shaped, ribbed, pink, mouth flared and frilled, with rim crenate. Early to mid-season. Sunproof

'Minnie's Pearl' 8 W-W

(W.R.P.Welch) W.R.P.Welch, 2011 Autumn Colors Group $\times N$. *a* ace Fls 8–12 per stem, forming a double triangle, 42mm wide, facing up; perianth segments 17mm long, ovate, acute, white, spreading, plane, smooth, overlapping half or more; corona 6mm long, cup-shaped, ribbed, creamy white, mouth flared and even, with rim entire. Tall. Very early. Sweetly scented. Etymology: named for a friend of the hybridiser

'Monmouthshire' 2 Y-Y

(R.A.Scamp, 1986) R.A.Scamp, 2011 'Saint Keverne' X 'Golden Aura'; sdlg no. 139 Fl. 105mm wide; perianth segments 41mm long, broadly ovate, blunt, with light mucro, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments a little narrower, shouldered at base; corona 39mm long, funnel-shaped, smooth, mouth flared and a little frilled, with rim minutely crenate. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117522) Etymology: named at the request of Monmouthshire Council

'Moon Tiger' 5 W-W

(Lawrence Trevanion, 2000) Lawrence Trevanion, 2011 'Hillstar' \times *N. ia d* subsp. *allid l*

'Muvmuv' 10 Y-Y

(Lawrence Trevanion, 2001) Lawrence Trevanion, 2011 *N. ie ii* subsp. *ie ii* var. *e a la ic* × *N. ca ab ic* subsp. *h ll*; sdlg no. 01-25B Fl. star-shaped, 34mm wide, facing up, pale greenish yellow 2D; perianth segments 11mm long, lanceolate, mucronate, acute, spreading, plane, smooth, separated; the inner segments narrower; corona 13mm long, bowl-shaped, smooth, mouth expanded, even, rim slightly crenate. Dwarf. Scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117526)

'My Colleen' 2 W-P

(John R.Reed) John R.Reed, 2011 Sdlg 89-28-4 ('Dear Me' × 'Pink Wax') × sdlg 84-137-10 ('Dear Me' × 'Magician'); sdlg no. 98-101-1

'Neil MacKenzie' 2 Y-O

(D.C.MacArthur, 1995) D.C.MacArthur, 2010 'King Size' × un-named 2 Y-O; sdlg no. ED4690 Fl. forming a double triangle, 118mm wide; perianth segments 51mm long, very broadly ovate, blunt, mucronate, brilliant greenish yellow 6C, spreading, plane or with margins incurling, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 34mm long, funnel-shaped, ribbed, orange (21C), paling to (21D) at base and deepening to (21B) at rim, mouth straight, wavy and lobed, with rim crenate. Mid-season. Sunproof. Sweetly scented

'North Berwick' 3 W-W

(R.Beckwith) R.Beckwith, 2011 'Silkwood' × 'Nice Day'; sdlg no. 4-9-2001 Fl. rounded, 98mm wide; perianth segments 41mm long, very broad, blunt, spreading, plane or with margins incurved, with midrib showing, of membranaceous substance, overlapping half or more; the inner segments narrower; corona 10mm long, bowl-shaped, ribbed, mouth expanded and lobed, with rim flanged and crenate. Tall. Midseason. Sweetly scented.

Etymology: named for the town of the same name

'Ohakuri' 2 Y-Y

(Graeme & Faith Miller) Graeme & Faith Miller, 2011 'Tauhoa' × 'Impeccable'; sdlg no. 05-07 Fl. rounded, 120mm wide; perianth segments 48mm long, very broad, blunt, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower; corona 44mm long, funnelshaped, smooth, mouth flared and wavy, with rim rolled and dentate. Early

'Oh Cindy!' 2 Y-P (John R.Reed) John R.Reed, 2011

'Park Chateau' 1 W-WWY

(K.van der Veek) Kapiteyn Speciale Culturen, 2011 Fl. 124mm wide, facing slightly upwards; perianth segments 43mm long, ovate, blunt, mucronate, opening greenish yellow 150D, becoming white, spreading, twisted, smooth and of heavy substance, overlapping at base only; the inner segments narrower; corona 43mm long, funnel-shaped, angled, opening greenish yellow 150D, becoming white, with a very broad band of vivid yellow 9A at mouth, mouth flared, ribbed, lobed and lightly frilled, with rim entire. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117530)

'Park Tropical' 7 W-Y

(K.van der Veek) Kapiteyn Speciale Culturen, 2011 FIs 2–3 per stem, forming a double triangle 70mm wide, facing up; perianth segments 30mm long, broadly ovate, blunt, prominently mucronate, white (155A-155C), spreading, plane, with midrib showing, of heavy substance, overlapping half; the inner segments narrower, shouldered at base, acute at apex, less prominently mucronate; corona 30mm long, cup-shaped, angled, vivid greenish yellow 2A, mouth expanded, broadly ribbed, wavy, lightly lobed, with rim narrowly flanged and entire. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117532)

'Park Unique' 2 W-P

(K.van der Veek) Kapiteyn Speciale Culturen, 2011 FI. forming a double triangle, 100mm wide, facing up; perianth segments 40mm long, very broadly ovate, blunt, slightly mucronate, opening light yellow, becoming greenish white 155A, spreading, plane to concave, smooth and of heavy substance, overlapping one-third to a half; the inner segments much narrower, shouldered at base, less prominently mucronate; corona 30mm long, funnel-shaped, short, angled, strong yellowish pink 31C, mouth expanded, smooth, lightly frilled, irregularly lobed, with rim narrowly flanged and minutely crenate. Mid-season. Sunproof. Strongly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117534)

'Peach Swirl' 4 W-O

(K.van der Veek) W.van Lierop and Sons sdlg no. KV 29

FI. 110mm wide, facing upwards; perianth and other petaloid segments in two whorls, pale orange-white (159D): the outer whorl 45mm long, broadly ovate, blunt, slightly mucronate, spreading, with margins incurved, with midrib showing, of heavy substance, overlapping half or more; the inner segments slightly narrower, shouldered at base; the inner whorl much shorter than the outer segments, deeply inflexed, folded inwards from midrib, with margins incurved; corona segments 25mm long, yellow-orange (17B), in two whorls: the outer whorl between the two whorls of perianth segments a little inflexed, slightly folded inwards from midrib, smooth and wavy; the inner whorl clustered at centre, deeply inflexed, heavily frilled and crenate. Mid-season. Sunproof. Sweetly scented. Nomenclatural Standard: colour print supplied by KAVB (WSY0117536) TGA 2008

'Peggy Newill' 2 W-WPP

(David Adams, 1994) David Adams, 2011 79/14C ('Easter Moon' × T19) × 'Dear Me'; sdlg no. 85/04C2

FI. 98mm wide; perianth segments 40mm long, very broadly ovate, blunt, white, spreading, plane, smooth and of heavy substance, overlapping half; the corona 24mm long, funnel-shaped, lightly ribbed, deep pink, with white at base, mouth straight and wavy, with rim crenate, split and overlapping in places. Mid-season. Sunproof. Etymology: named in memory of a former American Daffodil Society President

'Sophisticated Lady' 2 W-WYY

(O. David Niswonger, 1993) O. David Niswonger, 2011 Sdlg (Mitsch) × 'Marque'; sdlg no. 24-93 FI. 92mm wide; perianth segments 40mm long, broadly ovate, blunt, slightly reflexed, with margins incurved, smooth, overlapping half; the inner segments slightly narrower, shouldered at base; corona 26mm long, bowl-shaped, smooth, mouth wavy and six-lobed, rim split and overlapping in places. Mid-season. and broadly flanged. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117553)

'Sunbeam Valley' 1 W W Y-Y

(John Gibson) John Gibson, 2011 'EImbridge' × 'Stormy Weather'; sdlg no. 46-10-98 FI. 108mm wide; perianth segments 45mm long, very broadly ovate, blunt, slightly mucronate, white,

'That's Life' 11a W-Y

(C.van der Salm & Son) C.van der Salm & Son, 2010 Fl. 95mm wide, forming a double triangle, facing upwards; perianth segments 40mm long, very broad, blunt, mucronate, yellowish white 155D, slightly reflexed and concave, smooth and of membranaceous substance, overlapping one-third; the inner segments narrower and shouldered at base; corona 30mm long, split to base, the six segments of the same width as the perianth segments and closely overlying them, opening bright yellow, moving to pale yellow, greenish at base and brighter yellow at rim, becoming brilliant greenish yellow 4A, lightly ribbed and frilled, with rim entire and crenate. Late. Strongly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117560)

'The Cisco Kid' 2 Y-R

(P.D.K.Ramsay) P.D.K.Ramsay, 2011 'Copper Sheen' × 'Cameo Fire'; sdlg no. 07:39 FI. forming a double triangle, 112mm wide; perianth segments 50mm long, ovate, mucronate, spreading, plane or with margins incurling, smooth and of heavy substance, overlapping; corona 47mm long, bowl-shaped, smooth, mouth expanded and even, with rim rolled and entire. Mid-season. Etymology: 'Cowboy' is a grandparent of this cultivar

'The Leprechaun's Touch o' Gold' 4 Y-O

(Averett Jones) Averett Jones, 2011 Sport of 'Butter and Eggs' FI. 68mm wide; perianth and other petaloid segments in several whorls; the outer whorls 28mm long, broadly ovate, blunt, with prominent white mucro, spreading, a little twisted, overlapping a quarter; the inner segments becoming shorter and successively more inflexed towards centre; corona segments 24mm long, interspersed among the petaloid segments, curled inwards from midrib and a little wavy. Mid-season. Much looser and less tightly packed than 'Butter and Eggs'. Nomenclatural Standard: colour print supplied by registrant (WSY0117561)

'Tiger Eye' 2 Y-Y

(Colin Crotty) Colin Crotty, 2011 'Lehiam' × 'Gold Convention'; sdlg no. 7-03 FI. forming a double triangle, 95mm wide; perianth segments 36mm long, very broadly ovate, blunt, mucronate, bright yellow, spreading, plane, smooth and of heavy substance, overlapping half; the inner segments narrower, shouldered at base; corona 30mm long, cylindrical, smooth, a slightly deeper shade than the perianth segments, mouth straight and a little wavy, with rim narrowly flanged and minutely crenate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117562)

'Tom Parry' 3 Y-O

(Ringhaddy Daffodils, 1998) Mrs K.Burgess, 2011 'Moon Ranger' × 'Badbury Rings'; sdlg no. 190 Fl. forming a double triangle, 98mm wide; perianth segments 41mm long, ovate, blunt, golden yellow, reflexed, plane or with margins incurved, with midrib showing, of heavy substance; the inner segments narrower; corona 13mm long, bowlshaped, ribbed, deep orange, mouth expanded and frilled, with rim crenate. Early. Etymology: named for the registrant's father

'Touch of Pink' 6 WWG-WYP

(R. & E.Havens) R. & E.Havens, 2011 'Straight Arrow' open pollinated; sdlg no. OHO10/1 Fl. 87mm wide, facing down; perianth segments 35mm long, oblong in outline, rounded at apex, white, with green at base, reflexed, plane, smooth and of heavy substance, overlapping one-third; corona 27mm long, cylindrical, smooth, creamy white, becoming pale yellow, with white at base and yellow-pink at rim, mouth narrowly flared, ribbed, lightly frilled, with rim dentate. Early. Sunproof. Nomenclatural Standard: colour print supplied by registrant (WSY0117563)

'Triple Tiger' 11a Y-Y

(Lawrence Trevanion, 2000) Lawrence Trevanion, 2011 'Hillstar' × 'Tripartite'; sdlg no. 00_04JMR Fls 3 per stem, 64mm wide, facing slightly downwards, vivid yellow 9A; perianth segments 25mm long, broadly ovate, blunt, mucronate, spreading, plane or with margins a little incurved, smooth and of heavy substance, overlapping half or more; the inner segments narrower, shouldered at base; corona 11mm long, split to base, the 6 segments each closely overlying a perianth segment, forming an outer and an inner whorl of three, of the same width as the perianth segments, bi-lobed, slightly creased, wavy. Dwarf. Mid-season. Nomenclatural Standard: colour print supplied by registrant (WSY0117564)

'Tuppenny' 1 Y-Y

(Walter J.M.Blom) Walter J.M.Blom, 2011 'Little Beauty' $\times N$. *ic la* hybrid; sdlg no. 231-4 FI. forming a double triangle, facing upwards, vivid yellow 9A; perianth segments 20mm long, oblong in outline, blunt at apex, spreading, plane or with margins wavy, smooth, overlapping half; corona 20mm long, cylindrical, smooth, mouth expanded, ribbed and frilled, with rim flanged and dentate. Dwarf. Early. Sweetly scented

'Twinflower' 4 Y-Y

(C.W.M.Pouw) P.L.A.Pouw, 2011 Sport of 'Momus'

Fl. star-shaped, facing upwards; perianth and other petaloid segments in several whorls, vivid greenish yellow 2A; the outer whorl ovate to oblong, blunt to rounded, spreading, plane or with margins incurved, smooth and of membranaceous substance, overlapping half; the inner whorls becoming successively shorter, folded inwards from midrib and inflexed; corona segments interspersed among the perianth segments and clustered at centre, brilliant yellow 7A, broad, inflexed, deeply frilled. Dwarf. Mid-season. Strongly scented.

Nomenclatural Standard: colour print supplied by KAVB (WSY0117565)

'Twinklebelle' 2 Y-Y

(Graeme & Faith Miller, 2001) Graeme & Faith Miller, 2011 'Temple Gold' × 'Abona'; sdlg no. 01-09 Fl. forming a double triangle; 108mm wide; perianth segments 42mm long, ovate in outline, rounded at apex, spreading, concave, with margins incurved, smooth and of heavy substance, overlapping half or more; corona 40mm long, funnel-shaped, smooth, mouth flared, ribbed and frilled, with rim dentate. Early. Etymology: the pedigree name of the hybridiser's Labrador

'Two Too' 2 Y-Y

(Leone Y.Low, 2000) Leone Y.Low, 2011 'Little Beauty' × 'Alec Gray'; sdlg no. 5-1-L FI. star-shaped, 38mm wide; perianth segments oblong to ovate in outline, blunt at apex, pale yellow, spreading, a little concave, with margins incurved, with midrib showing, overlapping a quarter; corona funnel-shaped, smooth, golden yellow, narrowly flared, lightly ribbed and frilled, with rim crenate. Dwarf. Early.

Nomenclatural Standard: colour print supplied by registrant (WSY0117566)

'Unexpected' 4 Y-P

(Brian S.Duncan) Narveco, 2010

FI. 105mm wide, facing upwards; perianth and other petaloid segments in two or more whorls, pale greenish yellow 2D, touched white at base and apex; the outer whorl 40mm long, very broad, rounded, mucronate, spreading, becoming reflexed, concave, with midrib showing, a little creased, overlapping half or more; the inner segments narrower, shouldered at base; the inner whorls shorter, deeply concave and inflexed, with margins incurved; corona segments 40mm long, interspersed among the perianth segments, broad, orange (24D), deepening to (24B) towards apex, bi-lobed,

segments narrower, shouldered at base; corona 19mm long, cup-shaped, broadly ribbed, deep pinkish red, mouth expanded, wavy and irregularly lobed, with rim crenate. Mid-season. Strongly scented. Nomenclatural Standard: colour print supplied by registrant (WSY0117569)

'Valley Ego' 2 W-W

segments narrower, shouldered at base, not noticeably mucronate; corona 48mm long, funnel-shaped, smooth, mouth flared, regularly ribbed, irregularly lobed, with rim crenate. Mid-season.

Nomenclatural Standard: colour print supplied by registrant (WSY0117574) Etymology: named for the Richard Hunt Foundation (a charity in aid of injured Service personnel)

'Westminster Pink' 2 W-P (John R.Reed) John R.Reed, 2011 Parentage unknown; sdlg no. 93-20-1

'White Collar' 1 W-YYW (John R.Reed) John R.Reed, 2011

ADDITIONS AND AMENDMENTS TO THE INTERNATIONAL DAFFODIL REGISTER AND CLASSIFIED LIST (2008) AND SUPPLEMENTS 1, 2 & 3

The compilers are grateful to those who have drawn attention to omissions from the *I e a i al Daff dil Regi e* and its Supplements, pointed out errors, suggested changes or supplied new information.

Amendments to cultivar names, divisions, colour codes, parentages, originators and registrants will usually be published in an annual Supplement. Amendments to descriptions will usually only be published in a new edition of the Register. However, all amendments will be published on the internet, in a regular upd mer6t(s)7(c)10(2(n)6t(s))

'Autumn Delight'	Alter seedling number to: 97-51/7	
'Bandolier'	Alter seedling number to: B153	
'Barrett Browning'	Add: Wister Award 2011	
'Bell Rock'	Add: AGM 2011	
'Brooke Ager'	Add: AGM 2006	
'Changing Day'	Alter colour code to: Y-R	
'Classic Gold'	Add: AGM 2009	
'Crater' (Chapman)	Alter colour code to: Y-O	
'Early Pearl'	Add synonym: 'Creams'	
'Easter Sunrise'	Alter division to: 2	
'Egypt' 1 Y-Y	Remove: Strongly resembles 'Countess of Annesley'	
'Elka'	Add: AGM 2011	
'Evening Grosbeak'	Alter colour code to: YYW-O	
'Gerbran(d)6()4 Tc 2.143 Td [ta Ad db Awnmsmw25'Cerbran(d)6()4 Tc43 Td [taoo		

'Gntlyst0awHar-8-18

'South Bend Memorial'	Alter parentage to: 'Gold Convention' $ imes$ 'Goldfinger'
'Spoirot'	Add: AM 2011. Add AGM 2011
'Staaten Generaal'	Alter First Flowering Date to: pre-1827; alter publication note to: Krelage
	list 1827; add synonym: 'Staaten-Generaal'
'Strines'	Add: AGM 2010
'Twinkling Yellow'	Alter AGM date to: 2008
'Wimbledon County Girl'	Add: AGM 2009
'Yellow Pearl'	Add: AGM 2011
'Yellow River'	Add: AGM 2010

Additions to the List of Originators and Registrants

Smakman, T.C. Bloembollenkwekerij van Woesik VOF Burgess, Mrs K. Charlton, Frank Anna Paulowna, the Netherlands see van Woesik, J.

Malahide, Co. Dublin, Ireland

! " #\$%&' ()* " + , " &' *

$\wedge \cap \cap \cap$

- . # . &%)

