




The International Da odil Register & Classified List

(2008)

Seventh Supplement



© 2014 the Royal Horticultural Society
80 Vincent Square, London SW1P 2PE, United Kingdom
www.rhs.org.uk

Charity registration number 222879038262

International Dandelion Registrar:
Melanie Underwood

All rights reserved. No part of this book may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder

9781907057557

Printed and bound in the UK by Page Bros, Norwich

The previous supplement (Sixth Supplement) was published on 28 April 2014

Cover: "Narcissus cyclamineus, Johnstoni and Triandrus albus"
from 1887 Barr and Son dandelion catalogue.
Image courtesy of RHS Lindley Library

SEVENTH SUPPLEMENT
to

NOTES ON CLASSIFICATION AND DESCRIPTION

Note 1 – on classification

The combination of division and colour code

assigned here (or as amended in any future

Supplement) is the registered classification, to be

PCTFSWFE GPS FYBNQMF XIFO TDIFEVMFT

'Abache' 1 W-Y

(Jackson's Daffodils, 2004) Jackson's Daffodils, 2014

1BSFOUBHF VOLOPXO TEMH OP

'M NN XJEF QFSJBOUI TFHNFOUT NN MPOH

broadly ovate, blunt, slightly mucronate, greenish
white 155C, spreading, plane or with margins a little
wavy, with midrib showing, of heavy substance,
overlapping half or more; the inner segments
narrower, shouldered at base, less prominently
mucronate; corona 48mm long, cylindrical, smooth,

CSJMMJBOU ZFMMPX # NPVUI FYQBOEFE BOE MJHIUMZ
GSJMMFE XJUI SJN GMBOHFE BOE EFOUBUF .JE TFBTPO

'Aidensfield' 2 O-O

(Gordon Coombes, 2008) Gordon Coombes, 2014

A5PSSJEPO ♂ Ai!(JÉaÄ ïð -šÄ SêÉžpý TEMH

'M NN XJEF QFSJBOUI

wavy, with midrib showing Tf 0 Tw 0 -1.667 TD [(')F12001202-20(ie)14(ld' 2 O8(ic)4(a)-6ext<FEFF0020>>

'M O ½Ä XJUI

'American Falls' 2 Y-P

3 &)BWFOT 3 &)BWFOT
A" DVNFO Ꞇ A" NFSJDDBO %SFBN TEMH OP 0)
1FSJBOUI TFHNFOU CSPBEMZ PWBUF CMVOU EFFQ MFNPO
ZFMMPX XJUI TMJHIU XIJUF NVDSP B MJUUMF SFGMFYFE QMB
or with margins slightly incurved, smooth and of
heavy substance, overlapping half; the inner segments
narrower, more nearly spreading, scarcely mucronate;
DPSPOB GVOOFM TIBQFE TNPPUI NJE QJOL XJUI B
deeper tone towards rim, frilled and irregularly lobed,
XJUI SJN OBSSPXMZ GMBOHFE .JE TFBTPO

'Arctic Angel' 1 W-W

(PSEPO \$PPNCFT (PSEPO \$PPNCFT
A#MBODP 4PM Ꞇ A8IJUF &SNJOF TEMH OP (
'M GPSNJOH B EPVCMF USJBOHMF NN XJEF QFSJBOUI
segments 38mm long, ovate, blunt, scarcely
NVDSPOBUF TQSFBEJOH UP B MJUUMF SFGMFYFE QMBOF XJU
TQSF @•5 Si: ~~NYAFO P~~ [<004E>13<00560044>8<0050 D4600409<010<</A2B>4<005EFFxt<FE5<

PVUFS XIPSMT NN MPOH WFSZ CSPBEMZ PWBUF CMVOU

spreading, plane or with margins incurved, smooth
and of heavy substance, overlapping half or more; the
inner whorls successively shorter and more strongly

JOGMFYFE UPXBSET DFOUSF DPODBWF DPSPOB TFHNFOUT

23mm long, interspersed among the petaloid
segments and clustered at centre, opening yellow,

CFDPNJOH DSFBNZ XIJUF % MJHIUMZ GSJMM Oïð Oïð Oïð Oïð

'Chagrin' 4 Y-Y

+BDLTPO T %BGGPEJMT +BDLTPO T %BGGPEJMT
 1BSFOUBHF VOLOPXO TEMH OP
 'M NN XJEF S JBOEUIG SUBM PINE FOUT
 in three or more whorls, brilliant yellow 13C; the
 outer whorls 27mm long, roundish in outline, blunt
 BU BQFY TQSFBEJOH QMBOF UP B MJUUMF DPODBWF UIF JOO
 whorls narrower, successively shorter and more
 JOGMFYFE UPXBSET DFOUSF GPMEFE JOXBSET GSPN NJESJC
 DPSPOB TFHNFOUT UXP UIJSET UIF MFOHUI PG BOE
 interspersed among the petaloid segments and
 clustered at centre, vivid yellow 14A, frilled to a little
 DSVNQMFE .JE TFBTPO

'Chambersburg' 2 Y-P

%S 8JMMJBN #FOEFS +PIO 3 3FFE
 4EMH OP
 1FSJBOUI TFHNFOUT MJHIU ZFMMPX PWFSMBQQJOH DPSPOB
 DVQ TIBQFE FWFO
 &UZNPMPHZ /BNFE GPS %S 8JMMJBN #FOEFS XIP
 MJWFE JO \$IBNCFSTCVSH 1FOOTZMWBOJB

'Chivy' 2 YYW-P

(Jackson's Daffodils, 2002) Jackson's Daffodils, 2014

1BSFOUBHF VOLOPXO TEMH OP "
 'M NN XJEF QFSJBOUI TFHNFOUT NN MPOH WFSZ
 broadly ovate, blunt, slightly mucronate, brilliant yellow
 # XJUI HSFFOJTI XIJUF \$ BU CBTF TQSFBEJOH
 plane or with margins incurved, smooth and of heavy
 substance, overlapping half or more; the inner segments
 narrower, shouldered at base, scarcely mucronate;
 corona 37mm long, cylindrical, smooth, strong
 ZFMMPXJTI QJOL % NPVUI FYQBOEFE SJCCFE BOE B
 MJUUMF XBWZ XJUI SJN EFOUBUF BOE XJEFMZ GMBOHFE &BSM

'Christelle' 4 W-P

3 " 4DBNQ 3 " 4DBNQ
 A4QBOJBSET *OO α A1PM %PSOJF TEMH OP "
 'MSPVOEN XJEF S JBOEUIG SUBM PJE
 secondary: 3 " 4DBNQ 3 " 4DBNQ; The outer c J-Smva@V0 α-GM,Br OHFEA -" € JžŽ" @ -©

'Crimson Princess' 2 W-R
(John R.Reed) John R.Reed, 2014
A .BHJDJBO ♂ TEMH TEMH OP
Corona crimson red.

'Cut Crystal' 11a W-W
/JBM 8BUTPO 3JOHIBEEZ %BGGPEJMT
A4JMWFS \$SZTUBM ♂ A%JWFSTJUZ TEMH OP 8
.JE TFBTPO UP MBUF

'Dear Lotte' 3 Y-O
.ST + "CFM 4NJUI) . .FFVXJTTFO
1BSFOUBHF VOLOPXO
'M NN XJEF GBDJOH VQXBSET QFSJBOUI TFHNFOUT
35mm long, very broadly ovate, truncate, brilliant
ZFMPX " QBMFS UPXBSET BQFY TQSFBEJOH DPODBWF
with margins incurved, with midrib showing, of
heavy substance, overlapping half or more; the inner
segments narrower, shouldered at base; corona 7mm
MPOH CPXM TIBQFE SJCCFE TUSPOH PSBOHF # NPVUI
FYQBOEFE MJHIUMZ GSJMMFE BOE JSSFHVMBSMZ MPCFE XJU
SJN DSFOBUF 4USPOHMZ TDFOUFE .JE TFBTPO
/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
, "7# 84:

'Denis Dailey' 2 O-R
(John R.Reed) John R.Reed, 2014
A4QFMUFSM

'Eye Opener' 1 W-O

(Jackson's Daffodils, 2004) Jackson's Daffodils, 2014

1BSFOUBHF VOLOPXO TEMH OP

'M NN XJEF GBDJOH TMJHIUMZ VQXBSSET QFSJBUI

segments 42mm long, broadly ovate, blunt, slightly mucronate, greenish white 155A, spreading, plane or with margins a little incurved, with midrib showing, of heavy substance, overlapping half; the inner segments narrower; corona 43mm long, cylindrical,

TNPPUI WJWJE PSBOHF ZFMMPX " NPVUI GMBSFE

SJCCFE BOE MJHIUMZ GSJMMFE XJUI SJN EFOUBUF &BSMZ

'Fiery Arrow' 2 O-O

3 &)BWFOT 3 &)BWFOT

A3FE 4IFj5Quilla NTEMH OP 3)

'M SPVOEFE NN XJEF QFSJBUI TFHNFOUT SPVOEJTI

broad, slightly mucronate, orange with overtones of ZFMMPX B MJUUMF SFGMFYFE QMBOF XJUI NBSHJOT JODVSM.

smooth and of heavy substance, overlapping half or more; the inner segments narrower, more nearly

TQSFBEJOH DPSPOB CPXM TIBQFE TNPPUI WJWJE

PSBOHF NPVUI XBWZ XJUI SJN FOUJSF -BUF

'Firebright' 2 Y-R

#SJBO 4 %VODBO #SJBO 4 %VODBO

4EMH A4PMBS 4ZTUFN α <A"NCPTFMJ α #VSOJOH

#VTI > α A5SPQJDBM)FBU TEMH OP

'M NN XJEF GBDJOH TMJHIUMZ VQXBSSET QFSJBUI

TFHNFOUT NN MPOH PWBUF CMVOU EFFQ ZFMMPX XJUI

slight white mucro, spreading, plane or with margins

a little incurved, smooth and of heavy substance;

DPSPOB NN MPOH DVQ TIBQFE CSPBEMZ SJCCFE

PSBOHF SFE NPVUI B MJUUMF FYQBOEFE XBWZ BOE MPCFE

with rim slightly dentate and narrowly flanged. Tall.

V QXBF Y QRB B RIB C RIE V QXBF B RIB C RIE B QXBOE B YTC BOE FYQBOEFE B0B

'SJCCFE B BOE XBWZ BOEBOEBOE SJCCFE α BOE

CPXM TOBSSPUNMPE/OBSSCPM MZF E

and lightly frilled, with rim dentate. Sweetly scented.

-BUF

/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
SFHJTUSBOU 84:

'Foxwist Green' 3 W-YYR

\$MJWF 1PTUMFT - 5PNMJOTPO

1BSFOUBHF VOLOPXO

'M NN XJEF QFSJBOUI TFHNFOUT NN MPOH

SPVOEFE JO PVUMJOF USVODBUF BU BQFY NVDSPOBUF

white, spreading, concave, with margins a little

incurved, with midrib showing, of heavy substance,

PWFsMBQQJOH POF UIJSE UIF JOOFS TFHNFOUT OBSSPXFS

less prominently mucronate; corona 8mm long,

CPXM TIBQFE CS Ô 8 Dô †QOeá ð-N DPMPVS Dô †Q@XTF PWS JO à UIF

'M NN TL

'MO NN ` DPMP @pÿ ©J.H

'M NN ` DPMP-@pÿ 9 ▫ L åÄçãÔ•Kãß =ª J A!-

'M SH` 8 DIFuL@

'M NN• NN ` DPMP-@pÿ]: ë@œ

CSPBEMZ BOE SFHVMBSMZ SJCCFE NJE PSBOHF XJUI B
narrow band of yellow orange at rim, mouth straight
BOE XBWZ XJUI SJN EFOUBUF &BSMZ UP NJE TFBTPO
/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
SFHJTUSBOU 84:

'Kevin Kerr' 1 Y-Y

1 % , 3BNTBZ 1 % , 3BNTBZ
4EMH 13 α TEMH .) :: TEMH OP
'M GPSNJOH B EPVCMF USJBOHMF NN XJEF QFSJBOUI
TFHNFOUT NN MPOH WFSZ CSPBE SPVOEFE BU BQFY
spreading, plane or with margins incurling, smooth
and of heavy substance, overlapping half; the inner
TFHNFOUT OBSSPXFS DPSPOB NN MPOH GVOOFM
shaped, smooth, mouth flared and frilled, with rim
SPMMFE BOE EFOUBUF &BSMZ

'Koshare' 8 W-Y

3PCFSU 4QPUUT 3PCFSU 4QPUUT
A'FTUJWJUZ α A.BUBEPS TEMH OP
'MT m QFS TUFN NN XJEF QFSJBOUI TFHNFOUT
30mm long, broadly ovate, blunt, truncate, slightly
mucronate, white, spreading, plane or with margins a
little wavy, with midrib showing, of heavy substance,
overlapping half; the inner segments narrower; corona
NN MPOH GVOOFM TIBQFE JSSFHVMBSMZ SJCCFE MFNPO
ZFMMPVUBUJHOC,MS,APM,PS,TF,TP,Q,FS,VS,JC,OP ATFFU TOFE C

'Little Duncan' 1 Y-Y

(Wayne G. Hughes) Wayne G. Hughes, 2014

A6ODMF %VODBO PQFO QPMMJOBUEF TEMH OP 6% .
'M GPSNJOH B EPVCMF USJBOHMF NN XJEF MJHIU UP
NJE ZFMMPX QFSJBOUI TFHNFOUT CSPBEMZ PWBUF XJUI

slight white mucro, spreading, concave, with margins

a little incurling, creased, of heavy substance,

overlapping half; the inner segments narrower;

DPSPOB GVOOFM TIBQFE NPVUI SJCCFE XJUI SJN

GMBOHFE BOE DSFOBUF .JE TFBTPO

/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
SFHJTUSBOU 84:

'Luna Lycanthrope' 2 Y-W

(FSBSE ,OFIBOT +S (FSBSE ,OFIBOT +S

A.PPOTQFMM x A\$BNFMPU TEMH OP ,/

'M GPSNJOH B EPVCMF USJBOHMF NN XJEF QFSJBOUI

segments 40mm long, broadly ovate, blunt, light

greenish yellow 5C, with white mucro, spreading,

plane or with margins a little incurved, smooth and

PG IFBWZ TVCTUB•Z

'M

and of heavy substance; the inner segments
 TJHOJGJDBOUMZ OBSSPXFS DPSPOB NN MPOH DVQ
 shaped, smooth, mouth frilled, with rim entire. Tall.
 &BSMZ
 /PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
 SFHJTUSBOU 84:

'Miss Iris' 10 Y-Y
 (SBIBN 'MFNJOH \$)JHHJOT
 N.bulbocodium subsp. bulbocodium var. conspicuus ✎
 N.bulbocodium subsp. obesus TNM OUZ ,B0 S)
 'HZ TUBU•à @•IQ" `E•Đ NN UJJ•Đ MODJON VPUBSp@Đ JJFIZ

42mm long, roundish, very broad, with white mucro, spreading, plane or with margins incurling, smooth and of heavy substance, overlapping half or more; the

JOOFS XIPSMT TJHOJGJDBOUMZ TIPSUFS TUSPOHMZ JOGMFYFE
concave, scarcely mucronate; corona segments in several whorls; the outer whorl 32mm long, enclosing

the inner whorls of petaloid and corona segments, CSPBE TPNFUJNFT CJ MPCFE XJUI NBSHJOT MJHIUMZ SJCCFE
and wavy; the inner whorls shorter, more deeply

JOGMFYFE MJHIUMZ DSVNQMF E BOE DMVTUFSFE BU DFOUSF
.JE TFBTPO 5IF DPMPVS PG UIF DPSPPOB TFHNFOUT NBZ

vary, sometimes developing orange tones.

/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
SFHJTUSBOU 84:

&UZNPMPHZ /BNFE BU SFRVFTU PG GBNJMZ BOE GSJFOET GPS
NBOZ ZFBST TFSWJDF UP \$POTUBOUJOF 7JMMBHF \$PSOXBMM

'Olly's Medal' 1 W-Y

#SJBO 4 %VODBO #SJBO 4 %VODBO

A'JPOB .BD,JMMPQ A2VFFOT (VBSE TEMH OP

'M SPVOEFE NN XJEF QFSJBOUI TFHNFOUT NN

long, broadly ovate, blunt, slightly mucronate, white,

touched yellow at base, spreading, plane or with

margins a little incurved, smooth and of heavy

G - P Ð STPT• 4 PÐ WCJ -@pÿ C€Ps ÐH aÊïö p ä jr EMC /T1_0 <

'Portela' 2 Y-YYO

(John Gibson, 2001) John Gibson, 2014

4 EMH A\$SBJH 4UJFM ☐ A1FSJNFUFS ☐ A#BECVSZ
3JOHT TEMH OP

'M GPSNJOH B EPVCMF USJBOHMF NN XJEF QFSJBOUI
segments 34mm long, broadly ovate, brilliant greenish

ZFMMPX # XJUI TMJHIU XIJUF NVDSP TQSFBEJOH QMBOF

or with margins slightly incurling, with midrib

showing, of hea>-46(idy s(g)ubs(g)t0(n)4(n)1c4(ad b))129nltad6(n)6(g)- h2(a)4(1(e)-64)f 4(r w5())TJ T* [(s

ribbed and slightly wavy, with rim minutely crenate.

&BSMZ UP NJE TFBTPO
/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
SFHJTUSBOU 84:

'Red Gate' 2 Y-R

%FOJTF & .D2VBSSJF %FOJTF & .D2VBSSJF
2014

A4BCSF Ꞇ A+BNPSF TEMH OP (
'M SPVOEFE NN XJEF QFSJBOUI TFHNFOUT NN
MPOH CSPBEMZ PWBUF JO PVUMJOF SPVOEFE BU BQFY
spreading, plane, smooth and of heavy substance,
PWFSMBQQJOH IBMG DPSPOB NN MPOH GVOOFM TIBQFE
smooth, mouth wavy and narrowly flared, with rim
OPUDIFE .JE TFBTPO UP MBUF

'Relativity' 2 YYW-Y

3 &)BWFOT 3 &)BWFOT
A" NFSJDDBO \$MBTTJD Ꞇ A%JTRVJFU TEMH OP -)
1FSJBOUI TFHNFOUT MFNPO ZFMMPX XJUI B OBSSPX CBOE
of white at base, spreading, plane, smooth; corona
DZMJOESJDBM EFFQ MFNPO ZFMMPX .JE TFBTPO UP MBUF

'Roaring Roubidoux' 3 Y-YYO

(FSBSE ,OFIBOT +S (FSBSE ,OFIBOT +S
1BSFOUBHF VOLOPXO TEMH OP ,/
'M SPVOEFE NN XJEF GBDJOH TMJHIUMZ VQXBSET

perianth segments 32mm long, roundish, very broad,
truncate, pale greenish yellow 13D, with slight white

N V Derif 0.005 Tw T* [-<0044>-27<005T46000020>>044004A>6<00460042>an<</Actual1100120015>T] T

Ú P

Ú P

'Rural Delight' 2 Y-Y

(Alistair Davey, 2002) Alistair Davey, 2014

A(PMEFO "VSB α A%BZESFBN TEMH OP
 'M GPSNJOH B EPVCMF USJBOHMF NN XJEF QFSJBOUI
 TFHNFOUT NN MPOH PWBUF JO PVUMJOF CMVOU BU BQFY
 vivid greenish yellow 2A, spreading, plane or with
 margins incurved, smooth and of heavy substance,
 overlapping half; the inner segments shouldered at
 CBTF DPSPOB NN MPOH DVQ TIBQFE TNPPUI
 CSJMMJBOU HSFFOJTI ZFMMPX " NPVUI FYQBOEFE
 ribbed and lobed, with rim rolled and crenate.
 4USPOHMZ TDFOUFE .JE TFBTPO

'Sabatini' 1 Y-Y

\$ " WBO EFS 8FSFME 8PSME 'MPXFS)PMMBOE
 A1SJNFVS IZCSJE α TEMH TEMH OP 4"#
 'M NN XJEF QFSJBOUI TFHNFOUT NN MPOH
 CSPBEMZ PWBUF CMVOU CSJMMJBOU HSFFOJTI ZFMMPX #
 with slight white mucro, spreading, plane or with
 margins incurved, with midrib showing, of heavy
 substance, overlapping half; the inner segments,
 narrower, less prominently mucronate; corona 40mm
 MPOH GVOOFM TIBQFE BOHMFE CSJMMJBOU HSFFOJTI ZFMMPX
 " NPVUI SJCCFE BOE JSSFHVMBSMZ MPCFE XJUI SJN
 GMBOHFE BOE DSFOBUF 4XFFUMZ TDFOUFE .JE TFBTPO
 /PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
 ,"7# 84:

'Salzburg' 1 W-W

, WBO EFS 7FFL /BSWFD
 1BSFOUBHF VOLOPXO TEMH OP
 'M NN XJEF XIJUF // % QFSJBOUI TFHNFOUT
 50mm long, broadly ovate, blunt, mucronate,
 spreading, concave, with margins incurving, creased
 and of heavy substance, overlapping half; the inner
 segments narrower, less prominently mucronate;
 DPSPOB NN MPOH GVOOFM TIBQFE BOHMFE NPVUI B
 MJUUMF FYQBOEFE GSJMMFE BOE MPCFE XJUI SJN GMBOHFE
 BOE FOUJSF 4XFFUMZ TDFOUFE .JE TFBTPO
 /PNFODMBUVSBM 4UBOEBSE DPMPVS // % Á@pý _D`P`I M P C F Solv

'Straylight Run' 2 WWY-Y

(FSBSE ,OFIBOT +S (FSBSE ,OFIBOT +S
1BSFOUBHF VOLOPXO TEMH OP ,/
'M GPSNJOH B EPVCMF USJBOHMF NN XJEF QFSJBOUI
segments broadly ovate, truncate, mucronate, white,
with yellow at base and at margins, spreading, plane
or with margins a little incurved, smooth and of
heavy substance, overlapping half; the inner segments
narrower, shouldered at base, scarcely mucronate;
DPSPOB GVOOFM TIBQFE ZFMMPX NPVUI MJHIUMZ GSJMMFE
XJUI SJN FOUJSF .JE TFBTPO
/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
SFHJTUSBOU 84:

'Sun Warrior' 2 Y-WWY

(Gordon Coombes, 2007) Gordon Coombes, 2014
A5SVNQFU 8BSSJPS A4VO \$IJME TEMH OP (
'M NN XJEF

'Tayforth Orange Cup' 2 W-O
(Wayne G.Hughes, 2008) Wayne G.Hughes, 2014
A (M B T U P O ▣ A # S B W P V S F

'Tracey's Butterfly Kisses' 4 W-O

#SJBO 4 %VODBO 5SBD FZ #PZE
4EMH A#SJOEMF 1JOL 8 1 A#VSU)PVTF
sdlg no. 05/153

'M SPVOEFE NN XJEF QFSJBOUI BOE PUIFS QFUBMPJE
segments in three whorls; the outer whorls 40mm
MPOH SPVOEJTI JO PVUMJOF USVODBUF BU BQFY NVDSPOBUF
opening white, becoming creamy white, spreading,
plane or with margins a little incurved, smooth and of
heavy substance, overlapping half or more; the inner
TFHNFOUT OBSSPXFS CMVOU BU BQFY MFTT QSPNJOF OUMZ
NVDSPOBUF UIF JOOFS XIPSM EFFQMZ JOGMFYFE DPODBWF

'Viriquilla' 7 W-Y

-BXS FODF 5SFWBOJPO

-BXS FODF 5SFWBOJPO

2014

A-JNFRVJMMB A&NFSBME 4FB TEMH OP @ .+
'MT QFS TUFN QFSJBOUI TFHNFOUT PWBUF CMVOU

mucronate, spreading, plane or with margins slightly

incurling, with midrib showing, of heavy substance,

PWF SMBQQJOH B UIJSE DP SPOB DVQ TIBQFE SJCCFE

mouth straight and wavy, with rim entire. Scented.

7FSZ FBSMZ

/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
SFHJTUSBOU 84:

'Viristar' 7 W-W

-BXS FODF 5SFWBOJPO

-BXS FODF 5SFWBOJPO

2014

A)JMMTUBS A&NFSBME 4FB TEMH OP @ .+
'MT QFS TUFN QFSJBOUI TFHNFOUT PWBUF CMVOU

mucronate, spreading, plane or with margins slightly

incurling to a little twisted, smooth and of heavy

TVCTUBODF PWF SMBQQJOH POF UIJSE UIF JOOFS TFHNFOUT

OBSSPXFS MFTT QSPNJOFUUMZ NVDSPOBUF DP SPOB DVQ

shaped, ribbed, mouth straight and wavy, with rim

DSFOBUF 4DFOUFE 7FSZ FBSMZ

/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ
SFHJTUSBOU 84:

'Virition' 7 W-Y

-BXS FODF 5SFWBOJPO

-BXS FODF 5SFWBOJPO

2014

A)JMMTUBS A2VJDL 4UFQ A&NFSBME 4FB TEMH OP
@ .+

'MT QFS TUFN QFSJBOUI TFHNFOUT PWBUF CMVOU

NVDSPOBUF TQSFBEJOH UP B MJUUMF SFGMFYFE QMBOF PS

with margins slightly incurling, creased, of heavy

TVCTUBODF PWF SMBQQJOH POF UIJSE UP B IBMG UIF JOOFS

seymants narrower, less prominently mucrona UIFP BBOF

@ .+ HLPWP M1 @ .+ b5ZOFUiv - 4F NVDSPEi0 € P PPSiTp ' ä á -©p

'Whitewood' 1 W-W

(Colin Crotty, 2004) Colin Crotty, 2014

A#MBODP 4PM 8 TEMH 8 8 TEMH OP

'M GPSNJOH B EPVCMF USJBOHMF NN XJEF XIJUF

perianth segments 45mm long, broadly ovate, blunt,

spreading, plane to a little concave, smooth and of

heavy substance, overlapping half; the inner segments

OBSSPXFS BDVUF BU BQFY DPSPOB NN MPOH

cylindrical, smooth, mouth flared and even, with rim

NJOVUFMZ DSFOBUF 4USPOHMZ TDFOUFE 4VOQSPPG .JE

season.

/PNFODMBUVSBM 4UBOEBSE DPMPVS QSJOU TVQQMJFE CZ

SFHJTUSBOU 84:

Winter ColorsGroup10

-BXSFODF 5SFWBOJPO -BXSFODF 5SFWBOJPO

1FSJBOUI TFHNFOUT MBODFPMBUF JO PVUMJOF BDVUF BU

BQFY TQSFBEJOH QMBOF TNPPUI BOE PG IFBWZFIÄ BOE IFBW

