

Waterlily dahlias have fully double blooms characterised by broad and generally sparse ray florets, which are straight or slightly involute along their length giving the flower a shallow appearance. The depth should be less than half the diameter of the bloom.

Decorative dahlias have fully double blooms showing no disc. The ray florets are generally broad, and flat and may be involute for no more than 75% of their length (longitudinal axis), or slightly twisted and usually bluntly pointed.

Ball dahlias have fully double blooms, ball shaped or slightly flattened. The ray florets are blunt or rounded at the tips, with margins spirally arranged and involute for at least 75% of the length of the florets.

Pompon dahlias have blooms fully double spherical blooms of miniature size, with florets involute for the whole of their length (longitudinal axis).

Cactus dahlias have fully double blooms, the ray florets are usually pointed, the majority narrow and revolute for 50% or more of their length (longitudinal axis) and either straight or incurving.

Semi-Cactus dahlias have fully double blooms, the ray florets are usually pointed, and revolute for more than 25% of their length and less than 50% of their length (longitudinal axis), broad at base and either straight or incurving.

Any dahlias which do not fall into one of the foregoing Groups e.g. Orchid-flowered, Paeony-flowered dahlias, etc.

Certain Groups have been sub-divided and these, with their relative sizes, are as follows:

- (4) Giant-flowered – usually over 250mm (10in) in diameter.
- (5) Large-flowered – usually between 200mm (8in) and 250mm (10in) in diameter.
- (6) Medium-flowered – usually between 150mm (6in) and 200mm (8in) in diameter.
- (7) Small-flowered – usually between 100mm (4in) and 150mm (6in) in diameter.
- (8) Miniature-flowered – not usually exceeding 100mm (4in) in diameter.
- (9) Small Ball dahlias – usually between 100mm (4in) and 150mm (6in) in diameter.

(Parentage unknown) R (1997) & N (2001): B.F. Davies I (2002) & REG (2002): Scott's Nurseries. Fls 150mm wide, dark red. Stem 1.25m.

(Parentage unknown) R (1999) & N (2000): B.F. Davies I (2003) & REG (2002): Scott's Nurseries. Fls 100mm wide, deep purple. Stem 1.3m.

(Parentage unknown) R (1997) & N (2001): B.F. Davies I (2002) & REG (2002): Scott's Nurseries. Fls 150mm wide, orange/red. Stem 1.25m.

(Parentage unknown) R (1997) & N (2001): B.F. Davies I (2002) & REG (2002): Scott's Nurseries. Fls 200mm wide, outer florets orange, inner florets yellow. Stem 1.3m.

(Parentage unknown) R (1999) & N (2001): B.F. Davies I (2003) & REG (2002): Scott's Nurseries. Fls 150mm wide, purple. Stem 1.3m.

(Parentage unknown) R (1997) & N (2001): B.F. Davies I (2002) & REG (2002): Scott's Nurseries. Fls 100mm wide, cerise. Stem 1.25m.

(Parentage unknown) R (1998) & N (2000): B.F. Davies I (2003) & REG (2002): Scott's Nurseries. Fls 150mm wide, white, flushed pink. Stem 1m.

(Parentage unknown) R (1999) & N (2001): B.F. Davies I (2003) & REG (2002): Scott's Nurseries. Fls 150mm wide, pink. Stem 1.3m.

(Parentage unknown) R (1997) & N (2001): B.F. Davies I (2002) & REG (2002): Scott's Nurseries. Fls 150mm wide, red. Stem 1.25m.

(Parentage unknown) R (1999) & N (2001): B.F. Davies I (2003) & REG (2002): Scott's Nurseries. Fls 150mm wide, pillar box red. Stem 1.25m.

(Parentage unknown) R (1999) & N (2001): B.F. Davies I (2003) & REG (2002): Dave Spencer's Dahlias. Fls 150mm wide, bright purple. Stem 1.05m.

(Parentage unknown) R (1999) & N (2001): B.F. Davies I (2003) & REG (2002): Scott's Nurseries. Fls 100mm wide, velvet red. Stem 1.3m.

(Parentage unknown) R (1998) & N (2000): B.F. Davies I (2003) & REG (2002): Scott's Nurseries. Fls 100mm wide, primrose. Stem 1.3m.

(Parentage unknown) R (1998) & N (2000): B.F. Davies I (2003) & REG (2002): Dave Spencer's Dahlias. Fls 100mm wide, cerise. Stem 1.05m.


(Parentage unknown) R (1998) & N (2000): B.F. Davies I (2003) & REG (2002): Dave Spencer's Dahlias. Fls 100mm wide, bright red. Stem 1.05m.

(Parentage unknown) R (1997) & N (2001): B.F. Davies I (2002) & REG (2002): Scott's Daisies. Fls 100mm wide (all) 1.25m Stem 1.25m.

(Parentage unknown) R (1997) & N

5 1 6 6

yellowish white (155D) flecked with deep purplish red (71A), florets of collar light greenish yellow (3C), edged yellowish white (155D). Stem 0.3m.

^  **111**
(Parentage unknown) R (1991) & N (1992): Fa. Gebr. Bergman I (2000) & REG (2002): P.J.M. van Schie. Fls 100mm wide, inner florets pale yellow-green (155A) some tinged strong purple (77B), outer florets strong purple (80B) and

(‘Stellyvonne’ × ‘Poetic’) H (1994), G (1995), N (1996), I (1999) & REG (2002): Y. Konishi. Fls 200mm wide, white at base blending to lavender pink towards top of florets. Stem 1.3m. Standard: colour slide provided by registrant (WSY 0032400).

(Parentage unknown) R (1991) & N (1993): Fa. Gebr. Bergman I (2000) & REG (2002): P.J.M. van Schie. Fls 85mm wide, inner florets vivid red (45A) at base shading to pale greenish yellow (2D) and light purplish pink (63D) at top, outer florets strong red (46A) and vivid red (46B) in basal half shading to strong red (46A) at margins with moderate purplish red (70A) and strong reddish purple (70B) at apex on yellowish white (155B) ground. Stem 1.7m.

(‘Wagschal’s Goldkrone’ × ‘Iva Jean’) H (1997), G (1998), N (1998), I (2001) & REG (2002): Y. Konishi. Fls 170mm wide, pale lavender with white tips to florets. Standard: colour slide provided by registrant (WSY 0033279).

(Sport from ‘Gallery Pablo’) First propagated (1998), G (1999) N (1999), I (2001) & REG (2002): Fa. Gebr. Verwer. Fls 110-130mm wide, inner florets pale greenish yellow (1D) at base, shading to pale yellow-green (4D) and vivid purplish red (57B/C) towards top, outer florets pale purplish pink (62D) and vivid purplish red (57B/C). Stem 0.5m.

(Parentage unknown) H (1998), G (1999), N

('Little Willo' × un-named seedling) H (1996), G (1997), N (1999), I (2001) & REG (2002): Y. Konishi. Fls 50mm wide, white at base shading to purple towards tips of florets. Stem 0.7m. A pompon size decorative with notched-style tips to top of florets. Standard: colour print supplied by registrant (WSY 0033284).

('Maggie Hannaford' × 'Fidalgo Splash') H (1997), G (1998), N (1998), I (2002) & REG: Y. Konishi. Fls 180mm wide, white at base shading to magenta towards top of florets. Stem 1.3m. Standard: colour slide provided by registrant (WSY 0033285).

('Magic Moment' × 'Hayley Jane') H (1997), G (1998), N (1999), I (2001) & REG (2002): Y. Konishi. Fls 200mm wide, white at base shading to purple lavender towards top of florets. Stem 1.5m. Standard: colour slide provided by registrant (WSY 0033286).

('Magic Moment' × 'Kazusa Bijin') H (1997), G (1998), N (1999), I (2002) & REG (2002): Y. Konishi. Fls 170mm wide, yellow at base blending to salmon pink towards top of florets. Stem 1.3m. Standard: colour slide provided by registrant (WSY 0033287).

(Parentage unknown) R (1979) & N (1980): R.H. Simon REG (2002): Y.
Konishi. Fls 250mm wide, yellow. Stem 1.3m.


(Parentage unknown) R (2000): H.G. Bal N (2002), I (2002) & REG (2002):
Lindhout Ornata. Fls 145mm wide, brown-red with golden edge to tip of florets.
Stem 1.2m. Standard: colour print supplied by registrant (WSY 0032286).

(Parentage unknown) R (1995), N (1996), I (1997) & REG (2002): Fa. Gebr.

(2002): Y. Konishi. Fls 270mm wide, apricot orange with yellow centre. Stem 1.3m. Standard: colour slide provided by registrant (WSY 0033290).

(Parentage unknown) R (1999): H. Plochaet N (2001), I (2001) & REG (2002):

white tips to top of florets, colour dependent on season. Stem 1.3m. Standard:
colour slide provided by registrant (WSY 0033292).


(Un-named seedling × 'Amazon'*) H

('Magic Lamp' × 'Miss Ellie*') H (1993), G (1994), N (1995), I (2000) & REG (2002): Y. Konishi. Fls 230mm wide, yellow at base overlaid salmon rose towards top of florets. Stem 1.3m. Standard: colour slide provided by registrant (WSY 0033294).

('Sneezy' × un-named seedling) H (1948), G (1950), N (1951) & REG (2002): C. Geerlings I (1952): Geerlings' Dahlias. Fls 70mm wide, white. Stem 0.35m.

('Stellyvonne' × 'Sakura JooH') H (1993), G (1994), N (1995), I (1999) & REG (2002): Y. Konishi. Fls 165mm wide, cream to white. Stem 1m. Standard: colour slide provided by registrant (WSY 0033295).

('Magic Moment' × 'Hayley Jane') H (1997), G (1998), N (2000), I (2002) & REG (2002): Y. Konishi. Fls 170mm wide, purple rose with small white centre. Stem 1.4m. Standard: colour slide provided by registrant (WSY 0033296).

('Mary Magson' × un-named seedling) H & G (1998), N (1999), I (1999) & REG (2002): W.E. Mark. Fls 148mm wide, yellow. Stem 1.4m.

(Parentage unknown) R (1995), N (1996), I (1999) & REG (2002): R.J. Muntjewerff. Fls 180mm wide, brilliant greenish yellow (2B) to light yellow-green (2C) shading to strong red (53B) and pale yellow-green (4D). Stem 1m.

('Superfine' seedling × 'Superfine') H (2000), G (2001), N (2002) & REG (2002): K.E. Stock. Fls 140mm wide, outer florets yellow, inner florets primrose. Stem 1.16m.

('Laura Marie' × un-named seedling) H & G (1993), N (1996) & REG (2002): C. Geerlings I (1996): Geerlings' Dahlias. Fls 100mm wide, white. Stem 1.2m.

('Sakura JooH' × 'Mingus Micheala') H (1999), G (2000), N (2001), I (2002) & REG (2002): Y. Konishi. Fls 230mm wide, white at base blending to deep lavender towards top of florets. Stem 1.5m. Standard: colour slide provided by registrant (WSY 0033297).

(Parentage unknown) R (1999) & N (2001): H.G. Bal I (2003) & REG (2002): Lindhout Ornata. Fls 150mm wide, dark red with small golden tips to florets. Stem 1.2m. Standard: colour print supplied by registrant (WSY 0032282).

('Magic Lamp' × 'Miss Ellie*') H (1993), G (1994), N (1999), I (2000) & REG (2002): Y. Konishi. Fls 300mm wide, yellow at base suffusing to salmon orange towards top of florets. Stem 1.4m.

(Parentage unknown) R (1996) & N (1997): Dahlia Vereniging Schiedam I
(2001) & REG (2002): R.J. Muntjewerff. Fls 160mm wide, fl56.1 m32k. Vereniging Schiedam I

1
Standard: flowering herbarium specimen (WSY 0004214). Colour print referred to in the 13th Supplement (WSY 0030910) forms part of the Standard portfolio for this cultivar.

9()
(Sport from 'Eastwood Moonlight')
Syn. 'Lauren's Moonlight'

6()
R (1996) & N (1998): W. Holland

8()
Delete 'Marvellous Mee' and replace with 'Marvellous Mel'

5()
R (1998): N. Kops

The original Classified List and Supplements have been published as hereunder:-

Tentative Classified List & International Register (published 1969)	covering registrations to the year 1969	14,000 odd registrations
1 st Supplement	covering registrations for the years 1969-1986 inclusive	1679 registrations
2 nd Supplement	1987	41
3 rd Supplement	1988	44
4 th Supplement	1989-1990	178
5 th Supplement	1991-1992	156
6 th Supplement	1993-1994	100
7 th Supplement	1995	209
8 th Supplement	1996	140
9 th Supplement	1997	104
10 th Supplement	1998	208
11 th Supplement	1999	118
12 th Supplement	2000	125
13 th Supplement	2001	100

ABE, K.	Yamagata-Ken, Japan
BAL, H.G.	Heelsum, The Netherlands
BERGMAN, Fa Gebr.	Lisse, The Netherlands
BOER, T.	de Voorhout, The Netherlands
BROWN, E.	Browns' Nursery, Offenham, Evesham, Worcestershire, England
BROWN, R.	Cotswold Garden Flowers, Badsey, Evesham, Worcestershire, England
BROWN, R.	Browns' Nursery, Offenham, Evesham, Worcestershire, England
CAVE, J.	Constantine, Falmouth, England
DAHLIA VERENIGING SCHIEDAM	Lisse, The Netherlands
DAVE SPENCER'S DAHLIAS	Fobbing, Essex, England

ROTREVEEL, R.
RUIGROK, F.N.G.
SCHIE, P.J.M. van
SCOTT, M.
SCOTT'S NURSERIES
SIMON, R.H.
STOCK, K.E.
SWAN ISLAND DAHLIAS
TRIP, J.
VEELEN, H.L. van
VERWER, Fa Gebr
WOODS, J.P.

Voorhout, The Netherlands
Hillegom, The Netherlands
Voorhout, The Netherlands
Old Denaby, Yorkshire, England
Old Denaby, Yorkshire, England
Blaine, Washington, USA
Bournemouth, Dorset, England
Canby, Oregon, USA
Oud-Beerland, The Netherlands
Voorhout, The Netherlands
Lisse, The Netherlands
Onchan, Isle of Man

*We regret that those Raisers marked with an asterisk are now deceased
