

**HE IN E NA IONAL DAHLIA EGI E (1969)**

**I EEN H LEMEN**

The following list contains the names of *Dahlia* cultivars registered between 1 January 2004 and 31 December 2004. It is issued as the

flattened ray florets surrounding a dense group of tubular florets, which are longer than the disc florets in Single dahlias, and showing no disc.

**G 3 - C D**

Collerette dahlias have blooms with a single outer ring of generally flat ray florets, which may overlap, with a ring of small florets (the Collar), the centre forming a disc.

**G 4 - D**

Waterlily dahlias have fully double blooms characterised by broad and generally sparse ray florets, which are straight or slightly involute along their length giving the flower a shallow appearance. The depth should be less than half the diameter of the bloom.

**G 5 - D**

Decorative dahlias have fully double blooms showing no disc. The ray florets are generally broad, and flat and may be involute for no more than 75% of their length (longitudinal axis), or slightly twisted and usually bluntly pointed.

**G 6 - B D**

Ball dahlias have fully double blooms, ball shaped or slightly flattened. The ray

## G O AND I E

Certain Groups have been sub-divided and these, with their relative sizes, are as follows:

- ( 8 ) -C ( 4 ), ( 9 ) ( 5 ), C
- A Giant-flowered - usually over 250mm (10in) in diameter  
Large-flowered - usually between 200mm (8in) and 250mm (10in) in diameter
- C Medium-flowered - usually between 150mm (6in) and 200mm (8in) in diameter  
Small-flowered - usually between 100mm (4in) and 150mm (6in) in diameter  
Miniature-flowered - not usually exceeding 100mm (4in) in diameter
- ( )  
A Small Ball dahlias - usually between 100mm (4in) and 150mm (6in) in diameter  
Miniature Ball dahlias - usually between 50mm (2in) and 100mm (4in) in diameter
- ( )  
Pompon dahlias - not exceeding 50mm (2in) in diameter

---

The use of "Dw.B" after the classification of a cultivar indicates that these are dwarf bedding dahlias, not usually exceeding 600mm (24in) in height.

---

### 5( ) A \_\_\_\_\_ G

(Parentage unknown) R unknown REG L.J.C.W. Berbeer. Fls 130mm wide, brilliant greenish yellow (1B). Stem 1.4m. Standard: colour print supplied by registrant (WSY 0052470).

### 6( ) A \_\_\_\_\_ L

(Parentage unknown) H (1999), G (2000), N

**6( ) B**      **A** \_\_\_\_\_, \_\_\_\_\_  
(Parentage unknown) H (2001), G (2002) & N (2003); B.F. Davies I (2004) &  
REG

**5( ) B**

(Parentage unknown) H (2000), G (2001) & N (2003); B.F. Davies I (2004) & REG (2004): Scott's Nurseries. Fls 95mm wide, bronze. Stem 1.25m.

**5( ) B**

(Parentage unknown) H (2003): M. Twyning G (2003), N (2003), I (2003) & REG (2004): Winchester Growers Ltd. Fls 150mm wide, yellow. Stem 1.5m.

**10 B**

(Parentage unknown) H (1999), G (2000) & N (2000): L. Verhoeven I (2001) & REG (2004): Th. Aanhane. Fls 100mm wide, outer florets dark red (187B) shading to dark red (187C) at the base and top of petals, inner florets dark red (187A) and deep reddish purple (77A) shading to moderate purplish red (59C) at top of petals. Stem 1.3m. Standard: colour print supplied by registrant (WSY 0051713).

**1 B**

(Parentage unknown) H (2000), G (2001), N (2002) & REG (2004): J. van der Linden & Zn. Fls 90mm wide, dark red (187C) shading to dark red (187A/B) towards top of florets. Stem 0.9m. Brown leaves are a feature of the variety.

**1 B**

(Parentage unknown) H (2000), G (2001), N (2002) & REG (2004): J. van der Linden & Zn. Fls 90mm wide, strong red (46A/B). Stem 0.9-1m. Brown leaves are a feature of the variety.

**1 B**

(Parentage unknown) H (2000), G (2001), N (2002) & REG (2004): J. van der Linden & Zn. Fls 130mm wide, outer florets light greenish yellow (5C) on a moderate reddish orange (35A) base, inner florets brilliant greenish yellow (5B) on brilliant orange yellow (23B) base. Stem 0.9-1m. Brown leaves are a feature of the variety.

**6( ) B**

(Parentage unknown) H (2002), G (2003), N (2004), I (2004) & REG (2004): P.K.J. Smits. Fls 100mm wide, outer florets deep red (53A) with pale greenish yellow (2D) veins, inner florets deep red (53A). Stem 0.9m. Standard: colour print supplied by registrant (WSY 0052472).

**5( ) B**

('Nina Chester' x un-named seedling) H (1984), G (1985), N (1986) & REG (2004): B. King. Fls 95mm wide, cream (155D) at base merging to pink (75C) at tips of florets. Stem 1.05-1.2m. Standard: colour print supplied by registrant (WSY 0052254).

**5( ) B**

(Parentage unknown) H (2001) & G (2002): Dr K. Hammett N (2004), I (2004) & REG (2004): F. Hendrikx. Fls 90mm wide, outer florets vivid reddish orange (44C) with light yellow green (142C) veins, inner florets vivid red (45B). Stem 0.4m. Standard: colour print supplied by registrant (WSY 0052469).

**10 B**

(Parentage unknown) H (2001) & G (2002): Dr K. Hammett N (2003), I (2004) & REG (2004): F. Hendrikx. Fls 45mm wide, brilliant greenish yellow

(1B) with deep purplish pink (54B) tips. Standard: colour print supplied by registrant (WSY 0052467).

**5( ) C**

(Parentage unknown) H (2000), G (2001), N (2001) & I (2003): N. Gitts REG: (2004) Fa. H.A. van Eeuwijk & Zn. Fls 138mm, outer florets strong purplish red (60C) with strong purplish red (60B) stripes and yellowish white (155D) spots at top of florets, inner florets vivid reddish orange (43A) for approximately one half of the length and thereafter strong red (46A) with yellowish white (155D) spots at top of florets. Stem 0.9m.

**9( ) C**

(Parentage unknown) H (1999), G (2000) & N (2001): Mrs J. Davis I (2001) & REG (2004): Taylor's Dahlias. Fls 100-150mm wide, salmon. Stem 1m.

**3 C**

C — —

(Parentage unknown) H (1999), G (2000), N (2000), I (2003) & REG (2004): H.N. Bracewell. Fls 100mm wide, outer florets dark pink, inner florets yellow. Stem 0.6m. Standard: colour print supplied by registrant (WSY 0044702).

**10 C**

G —

(Parentage unknown) H (1998), G (1999), N (2002) & REG (2004): Fa Gebr. Verwer. Fls 110mm wide, outer florets strong purple (80B) to light purple (80C) with strong purplish red (71B) stripes, inner florets strong reddish purple (70B) shading to deep purplish red (59B) to dark red (59A) at base. Stem 0.9-1m.

**5( ) C**

A — —

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2004): E. van Dongen. Fls 120mm wide, outer florets moderate red (185B) with moderate purplish red (186A) tips, inner florets dark red (187B). Stem 1m.

**6( ) C**

—

('Laura Marie' × 'Kenora Fireball') H (1990), G (1991) & N (1992): C. Geerlings I (1992) & REG (2004): Geerlings Dahlias. Fls 100mm wide, strong purplish red (60B). Stem 1.2m.

**6( ) C**

B —

(Parentage unknown) H (2002), G (2003), N (2004), I (2004) & REG (2004): P.K.J. Smits. Fls 75mm wide, outer florets vivid orange (28B) to strong orange (26B) with pale greenish yellow (2D) base, inner florets strong orange (26A) with vivid yellow (12A) on vivid reddish orange (33A) base. Stem 0.9m. Standard: colour print supplied by registrant (WSY 0052468 'Con Amore'

**10 D G**

(Parentage unknown) H (2000), G (2001), N (2002) & REG (2004): A. van Haaster. Fls 75mm wide, outer florets light greenish yellow (4C) with upper one third shading to deep purplish pink (64D), inner florets light greenish yellow (4C) with upper one third shading to strong purplish pink (63C). Stem 0.3m.

**3 D**

('Sue Mountjoy' × un-named seedling) H (2001), G (2002), N (2003), I (2004) & REG (2004): I.J. Kitchener. Fls 140mm wide, red. Stem 1.5m. Standard: colour print supplied by registrant (WSY 0051722).

**3 E J**

('Sue Mountjoy' × un-named seedling) H (2001), G (2002), N (2003), I (2004) & REG (2004): I.J. Kitchener. Fls 150mm wide, outer florets pink with red blush to lower part of petals, inner florets pink. Stem 2m. Standard: colour print supplied by registrant (WSY 0051724).

**2 E N**

(Parentage unknown) H (2000), G (2001), N (2002) & REG (2004): E. van Dongen. Fls 145mm wide, outer florets dark red (187A) with light purple (75B) stripes, inner florets dark red (187A/187B).

**5( ) E G**

('Renato Tosio' × un-named seedling) H (1998), G (1999) & N (2000): C. Geerlings I (2000) & REG (2004): Geerlings Dahlias. Fls 150mm wide, strong red (39A). Stem 1.2m. Standard: colour print supplied by registrant (WSY 0044639).

**10 F**

(Parentage unknown) H (2000) & G (2001): Dr K. Hammett N (2002), I (2003) & REG (2004): F. Hendrikx. Fls 48mm wide, outer florets vivid red (46C) with strong red (45D) veins, inner florets vivid reddish orange (42A) to vivid red (46C). Stem 0.5m. Standard: colour print supplied by registrant (WSY 0052257).

**8( ) F**

(Parentage unknown) H (2000), G (2001), N (2003) & REG (2004): Dr R.W. Peters I (2005): Hilltop Dahlias. Fls 216mm wide, red. Stem 1.5m. Standard: colour print supplied by registrant (WSY 0051725).

**10 F**

(Parentage unknown) H (1999), G (2000) & N (2000): L. Verhoeven I (2001) & REG (2004): Th. Aanhane. Fls 60mm wide, outer florets strong reddish purple (72B) shading to deep red (60A), inner florets brilliant greenish yellow (1A) with light reddish purple (74C) at the upper part of the petals and moderate red (180C) at base. Stem 1.2m. Standard: colour print supplied by registrant (WSY 0051714).

**5( ) G**

(Parentage unknown) H (1998), G (1999), N (2000) & REG (2004): Fa. Gebr. Verwer. Fls 110mm wide, outer florets very light purple (75C) merging to pale yellow (11C), inner florets moderate purplish pink (70D) to light purple (75B) merging to moderate yellow (162B) on brilliant yellow (10A) base. Stem 0.3-0.35m.

**5( ) G**

(Parentage unknown) H (2000), G (2001), N (2002) & REG (2004): E. van Dongen. Fls 135mm wide, outer florets yellowish white (155D) with vivid purplish red (66B) stripes on light yellow green (150D) base, inner florets moderate reddish orange (35A) and strong red (53B) tubular florets with strong red (46A) and vivid purplish red (57C) ray florets and yellowish white (155D) at top of florets. Stem 0.7-0.9m.

**4( ) G****'C'**

('Geerlings' Cupido' × un-named seedling) H (1998), G (1999) & N (2000): C. Geerlings I (2000) & REG (2004): Geerlings Dahlias. Fls 120mm wide, strong yellowish pink (33C). Standard: colour print supplied by registrant (WSY 0045283).

**9( ) G****'J'**

('Fortuna' × 'Grace') H (1988), G (1989) & N (1990): C. Geerlings I (1990) & REG (2004): Geerlings Dahlias. Fls 150mm wide, deep purplish pink (68A). Stem 1.2m. Standard: colour print supplied by registrant (WSY 0044640).

5( ) G

**'WANDA'**

(Campos Garcia × un-named seedling) H (1998), G (1999) & N (2000): C.

('Mark Hardwick' × 'Wanda's Capella') H (1998), G (1999) & N (2000): C. Geerlings I (2000) & REG (2004): Geerlings Dahlias. Fls 180mm wide, brilliant yellow (13B). Stem 1.3m. Standard: colour print supplied by registrant (WSY 0044630).

**5( ) G****'JERRY'**

('Campos Jerry Garcia' × un-named seedling) H (1998), G (1999) & N

**H ( ) H** , **M** \_\_\_\_\_ , **■■■**

(Sport from 'Mum's Lipstick') First propagated (1998) & G (1999); R. Hatfield  
N (2004) & REG

& REG (2004): I.J. Kitchener. Fls 130mm wide, outer florets red, inner florets yellow. Stem 1.5m. Standard: colour print supplied by registrant (WSY 0051723).

**6( ) J** ,  
('L'Ancresse' × un-named seedling) H (1997), G (1998), N (1998) & REG (2004): D. Walker. Fls 100mm wide, pink. Stem 1.2m.

**9( ) J** , **G** ,  
Parentage unknown H (1987), G (1988), N (1989), I

Aanhane. Fls 55mm wide, outer florets vivid reddish orange (32A) shading to deep pink (50B) towards top, inner florets strong yellowish pink (32C) shading to deep pink (51C). Stem 0.3m. A feature of the variety is for the centre of the florets to form a distinctive disc.

**10( ) L**

(Parentage unknown) H (2000), G (2001), N (2002) & REG (2004): E. van Dongen. Fls 110mm wide, outer florets light purple (75A) merging to light yellow (160B) at base, inner florets light purple (75A/77C) merging to brilliant greenish yellow (6A). Stem 0.8m.

**9( ) L A**

(Sport from 'Hamari Accord') First propagated (2000), G (2001), N (2001), I (2002) & REG (2004): E.T. Redd. Fls 220mm wide, cream. Stem 1.2m.

**5( ) L B**

(Parentage unknown) R unknown REG (2004): L.J.C.W. Berbee. Fls 850mm wide, outer florets deep red (53A) to deep purplish red (59B) on yellowish white (155D) base and yellowish white (155D) veins, inner florets strong purplish red (71C). Stem 1.2m. Standard: colour print supplied by registrant (WSY 0053321).

**4( ) L**

('Pearl of Heemstede' × un-named seedling) H (1997), G (1998) & N (1999): C. Geerlings I (1999) & REG (2004): Geerlings Dahlias. Fls 120mm wide, outer florets light purple (75A), inner florets white. Stem 1.5m. Standard: colour print supplied by registrant (WSY 0044636).

**9( ) L**

('Kenora Challenger' × un-named seedling) H (2002), G (2003), N (2003) & REG (2004): D. Walker. Fls 200mm wide, red. Stem 1.3m.

**4( ) M**

('Renato Tosio' × un-named seedling) H (1998), G (1999) & N (2000): C. Geerlings I (2000) & REG (2004): Geerlings Dahlias. Fls 100mm wide, vivid orange yellow (23A). Standard: colour print supplied by registrant (WSY 0044628).

**5( ) M**

('Hamari Rosé' × un-named seedling) H (1998), G (1999) & N (2000): C. Geerlings I (2000) & REG (2004): Geerlings Dahlias. Fls 80mm wide, outer florets strong purplish pink (63C), inner florets strong purplish red (63B). Standard: colour print supplied by registrant (WSY 0044631).

**6( ) M J S**

(Derived from seed supplied)

**5( )**

(Parentage unknown) H (2000) & G (2001): L.J.P. van der Vlugt N (2003) & REG (2004): L.J.P. and P.M.H. van der Vlugt. Fls 140mm wide, outer florets vivid purplish red (57C) on brilliant yellow green (150C) base, inner florets moderate purplish pink (62B) on brilliant greenish yellow (5B) base. Stem 0.8-1m.

**5( )**

(Parentage unknown) H (2002), G (2003), N (2004), I (2004) & REG (2004): N. Kops. Fls 110mm wide, both outer and inner florets brilliant greenish yellow (1B) and pale greenish yellow (1D) shading to light purplish pink (63D) at top of florets. Stem 0.9m. Standard: colour print supplied by registrant (WSY 0052479).

**9( )**

(Parentage unknown) H (2000), G (2001), N (2003) & REG (2004): Mrs J.B.H. Kamp-Preuter. Fls 175mm wide, yellowish white (155B) on brilliant greenish yellow (1B) base. Stem 1-1.3m.

**10 (D)**

(Parentage unknown) H (2001), G (2002), N (2003), I (2003) & REG (2004):

orange yellow (163B) base. Stem 0.8m. Standard: colour print supplied by registrant (WSY 0052480).

**9( ) H**

('Pink Jupiter' × un-named seedling) H (2000), G (2001) & N (2002); C. Geerlings I (2002) & REG (2004): Geerlings Dahlias. Fls 200mm wide, light orange (29B). Stem 1.5m. Standard: colour print supplied by registrant (WSY 0044633).

**5( ) A**

(Sport from 'Linz') First propagated (2002) & N (2003): C. Geerlings I (2003) & REG (2004): Geerlings Dahlias. Fls 100mm wide, brilliant orange (29A). Stem 0.35m. Standard: colour print supplied by registrant (WSY 0044699).

**10 H**

(Parentage unknown) H (2000), G (2001), N (2002) & REG (2004): E. van Dongen. Fls 135mm wide, outer florets deep purplish red (59B), inner florets strong purplish red (71B). Stem 0.7-1m.

**5( )**

(Parentage unknown) H (2001), G (2002), N (2004) & I (2005): R.J. Muntjewerff REG (2004): Ms Rensina Reynders. Fls 210mm wide, light yellow. Stem 0.9m. Standard: colour print supplied by registrant (WSY 0051726).

**5( )**

(Parentage unknown) H (2000), G (2001), N (2003) & I (2004): P. van Gerven REG (2004): P. van Gerven & Sons. Fls 95mm wide, outer florets vivid purplish red (57C) with yellowish white (155D) veins, inner florets yellowish white (155D) with strong purplish red (63B) flush. Stem 0.5m. Standard: colour print supplied by registrant (WSY 0052481).

**2 D**

(Parentage unknown) H (2001), G (2002) & N (2003): E. van Dongen REG (2004): G.G.B. van Bentem. Fls 135mm wide, outer florets vivid red (45B) shading to strong red (53C) on light yellow (10C) base with strong purplish pink (63C) touches to top of florets; inner florets tubular, vivid reddish orange (34A) with light yellow (10B) tips and ray inner florets vivid red (45B) and strong red (53C) on light yellow (10C) base. Stem 0.9-1m.

**5( ) L**

(Parentage unknown) H (1998), G (1999), N (2003) & REG (2004): D Kershaw I (2005): Taylor's Dahlias. Fls 200mm wide, white. Stem 1.6m. Standard: colour print supplied by registrant (WSY 0051715).

**6( ) N**

('L'Ancresse' × un-named seedling) H (1998), G (1999), N (2003) & REG (2004): D Kershaw I (2005): Taylor's Dahlias. Fls 100mm wide, white. Stem 1.2m. Standard: colour print supplied by registrant (WSY 0051716).

**5( )**

(Parentage unknown) H (2000) & G (2001): N. Kops N (2003), I (2004) & REG (2004): Smits Dahlia Bedrijf. Fls 130mm wide, outer florets deep red (53A) to dark red (187C), inner florets deep red (53A) shading to moderate

purplish red (70A) on pale greenish yellow (2D) base. Stem 1m. Standard: colour print supplied by registrant (WSY 0052486).

**5( ) C**,

(Parentage unknown) H (1999), G (2000), N (2003) & REG (2004): P.  
Godsmark I (2005): Ryecroft Dahlias. Fls 100mm wide, bright yellow. Stem 1.2m.

**9( ) C**,

(Parentage unknown) H (1997), G (1998), N (2002) & REG (2004): P.  
Godsmark I (2005): Ryecroft Dahlias. Fls 150mm wide, white with a slight shading of pink. Stem 1m.

**6( ) D**,

(Parentage unknown) H (1999), G (2000), N (2002) & REG (2004): P.  
Godsmark I (2003): Ryecroft Dahlias. Fls 100mm wide, outer florets orange, inner florets yellow. Stem 1.8m.

**9( ) D**,

(Parentage unknown) H (1998), G (1999), N (2001) & REG (2004): P.  
Godsmark I (2004): Ryecroft Dahlias. Fls 150mm wide, lemon yellow. Stem 1m.

**6( ) G**,

(Parentage unknown) H (1997), G (1998), N (2002) & REG (2004): P.  
Godsmark I (2003): Ryecroft Dahlias. Fls 100mm wide, outer florets lavender, inner florets cream with violet edging. Stem 1m.

**5( )**,

(Parentage unknown) H (2000), G (2001), N (2001) & REG (2004): P.  
Godsmark I (2003): Ryecroft Dahlias. Fls 100mm wide, outer florets pink, inner florets yellow. Stem 1.2m.

**6( )**,

(Parentage unknown) H (1998), G (1999), N (2002) & REG (2004): P.  
Godsmark I (2003): Ryecroft Dahlias. Fls 100mm wide, ruby red. Stem 1.2m.

**5( )**,

(Parentage unknown) H (1998), G (1999), N (2003) & REG (2004): P.  
Godsmark I (2004): Ryecroft Dahlias. Fls 150mm wide, primrose. Stem 1.2m.

**3**,

(Parentage unknown) H (1998), G (1999), N (2000), I (2003) & REG (2004): H.N. Bracewell. Fls 100mm wide, outer florets deep violet maroon, inner florets white. Stem 0.76m. Standard: colour print supplied by registrant (WSY 0044701).

**4( )**,

('Pearl of Heemstede' × un-named seedling) H (1997), G (1998) & N (1999): C. Geerlings I (1999) & REG (2004): Geerlings Dahlias. Fls 110mm wide, light purple (80D). Stem 1.3m. Standard: colour print supplied by registrant (WSY 0044698).

**5( )** ,  
(Parentage unknown) H

**I** , **A** , **E** ,

(Parentage unknown) H (2002), N (2003) & REG (2004): M. Twyning G (2003) & I (2004): Winchester Growers Ltd. Fls white. Stem 1m. Dark foliage is a feature of the variety.

**I** , **C** ,

(Parentage unknown) H (2002), N (2003) & REG (2004): M. Twyning G (2003) & I (2004): Winchester Growers Ltd. Fls red and white striped florets. Stem 1m.

**I** , **—** , **—**

(Parentage unknown) H (2002), N (2003) & REG (2004): M. Twyning G (2003) & I (2004): Winchester Growers Ltd. Fls white. Stem 1m.

**3** , **—** , **F** ,

(Parentage unknown) H (2002), N (2003) & REG (2004): M. Twyning G (2003) & I (2004): Winchester Growers Ltd. Fls outer florets pink, inner florets dark pink. Stem 1m.

**I** , **—** , **—**

(Parentage unknown) H (2002), N (2003) & REG (2004): M. Twyning G (2003) & I (2004): Winchester Growers Ltd. Fls either pink or white random coloured petals. Stem 1m.

**5( )** ,

(Parentage unknown) H (2000), G (2001), N (2003), I (2004) & REG (2004): N. Kops. Fls 105mm wide, yellowish white (155D) on brilliant greenish yellow (1A) base. Stem 0.9m. Standard: colour print supplied by registrant (WSY 0052484).

**5( )** , **A** ,

(un-named seedling × 'Kenora Valentine') H (2001), G (2002), N (2004) & REG (2004): L.R. Wright. Fls 220mm wide, vivid reddish orange (42A) with vivid red (45A) centre and white blends. Stem 1.05m.

**5( )** -E B ,

('Jan Adriaenszoon Leeghwater' × un-named seedling) H (2002), G (2003), N (2004), I (2004) & REG (2004): R.J. Muntjewerff. Fls 200mm wide, white.



**ADDEND M O 15 H LEMEN**

**5( ) M M**

Colour print supplied by registrant (WSY 0053323)

**IN E NA IONAL EGI E**

The original Classified List and Supplements have been published as hereunder:

Tentative Classified List & International Register (published 1969)	Covering registrations to the year 1969	14,000 odd
1 <sup>st</sup> Supplement	Covering registrations for the years 1969–1986 inclusive	1679
2 <sup>nd</sup> Supplement	1987	41
3 <sup>rd</sup> Supplement	1988	44
4 <sup>th</sup> Supplement	1989-1990	178
5 <sup>th</sup> Supplement	1991-1992	156
6 <sup>th</sup> Supplement	1993-1994	100
7 <sup>th</sup> Supplement	1995	209
8 <sup>th</sup> Supplement	1996	140
9 <sup>th</sup> Supplement	1997	104
10 <sup>th</sup> Supplement	1998	208
11 <sup>th</sup> Supplement	1999	118
12 <sup>th</sup> Supplement	2000	125
13 <sup>th</sup> Supplement	2001	100
14 <sup>th</sup> Supplement	2002	126
15 <sup>th</sup> Supplement	2003	127

**L I   O F   A I   E   ,   I N   O D   C E   &   E G I   .   A N**

AANHANE, Th.	De Boender, Noordwijk, The Netherlands
BENTEM, G.G.B. van	Zwaanshoek, The Netherlands
BERBEE, L.J.C.W.	Voorhout, The Netherlands
BRACEWELL, H.N.	Penwortham, Preston, Lancashire, England
CAREY, G.R.	Cefn Fforest, Blackwood, Gwent, Wales
COLLINS, E.H.	Marlow, Buckinghamshire, England
CRUICKSHANKS, J. & I.	Ridgeview Nursery, Longridge, Bathgate, Scotland
DAVIES, B.F.	Smithies, Barnsley, South Yorkshire, England
DAVIS, Mrs J.	Adderbury, Banbury, Oxfordshire, England
DEKKER, N.	Purmerend, The Netherlands
de REE, M.J.M.	c/o Firma C.G. de Ree, Aalsmeer, The Netherlands
DONGEN, E. van	Zwaanshoek, The Netherlands
EEWIJK, G.C. van	c/o Fa. H.A. van Eeuwijk & Zn, Lisserbroek, The Netherlands
EEWIJK & Zn, Fa. H.A. van	Lisserbroek, The Netherlands
FLINT, N.R.	Aldwick, Bognor Regis, West Sussex, England
GEERLINGS, C.	c/o Geerlings' Dahlias, Heemstede, The Netherlands
GEERLINGS' DAHLIAS	Heemstede, The Netherlands
GERVEN, P. van	Noordwijkerhout, The Netherlands
GERVEN & Sons, P. van	Noordwijkerhout, The Netherlands
GITTS, N.	Swan Island Dahlias, Canby, Oregon, USA
GODSMARK, P.	c/o Ryecroft Dahlias, Storrington, West Sussex, England
GROOM, Mrs J.	Cenarth, Newcastle Emlyn, Ceredigion, Wales
HAASTER, J. Ans van	c/o Dahlia Veredeling, Hillegom, The Netherlands
HALL, W.N & Sons Ltd	Halls of Heddon, Heddon-on-the-Wall, Newcastle-upon-Tyne, Northumberland, England
HAMMETT, Dr K.R.W.	Massey, Auckland, New Zealand
HATFIELD, R.*	Linton, Cambridgeshire, England
HATFIELD, Mrs S.	Linton, Cambridgeshire, England
HENDRIKX, F.	Hunsel, The Netherlands
HIGGO, C.O.	Cape Town, Republic of South Africa
HILLTOP DAHLIAS	Cashiers, North Carolina, USA
HINDLE, T.	Bishop Auckland, County Durham, England
HODGE, P.	Yealmpton, Plymouth, Devon, England
HOUGHTON, D.	Ireleth, Askam-in-Furness, Cumbria, England

INTERNATIONAL CULTIVAR  
REGISTRATION AUTHORITY

JACK, W.	Royal Horticultural Society's Garden, Wisley, Woking, Surrey GU23 6QB, England
JACKSON, L.	Invercargill, New Zealand
KAMP-PREUTER, Mrs J.B.H.	Upperby, Carlisle, Cumbria, England
KENT, D.G.	Almelo, The Netherlands
KERSHAW, D.	Ash Vale, Aldershot, Hampshire, England
KING, B.	Loveclough, Rossendale, Lancashire, England
KITCHENER, I.J.	Blaby, Leicester, Leicestershire, England
KOOT, A.C.	Tiverton, Devon, England
KOPS, N.	Voorhout, The Netherlands
LANS, L.M. van der	Hillegom, The Netherlands
LIMMEN, P.M.C.	Lisserbroek, The Netherlands
LINDEN & Zn, J. van der	Sint Maartensvlotbrug, The Netherlands
MARKS, R.A.	Hillegom, The Netherlands
MEUWISSEN, W.P.	Bishopstone, Aylesbury, Buckinghamshire, England
	Hunsel, The Netherlands